

Company: Century Aluminum Of Kentucky, LLC
 P.O. Box 500
 Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

The following chemicals from your facility may require a risk management assessment for flammability:

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
1,1-difluoroethane	DUSTER MOISTURE-FREE DUST/LINT REMOVER	CRC CHEMICALS/INDUSTRIES, INC.	2/29/2008	99.00	100.00	Y	10,000	f
2-methylpropane	SPRAYON E-100 QUICK LUBE	SPRAYON PRODUCTS (2)	5/11/1994		14.00	N	10,000	f
acetaldehyde	A-17 FABRIC TWISTED WOVEN ROVING	PYROTEK, INC.	6/12/2002	0.00	5.00	Y	10,000	g
acetaldehyde	ETHYL ALCOHOL, DENATURED (A407500)	FISHER SCIENTIFIC	5/17/1996		100.00	Y	10,000	g
acetylene	ACETYLENE	BOC GASES	6/7/1996	95.00	99.60	Y	10,000	f
acetylene	ACETYLENE	MATHESON GAS PRODUCTS	6/30/1994	99.00	100.00	Y	10,000	f
acetylene	ACETYLENE	PRAXAIR, INC.	10/1/1997	99.00	100.00	Y	10,000	f
butane	FREE ALL DEEP PENETRATING OIL	FEDERAL PROCESS COMPANY	2/1/2006	0.00	1.00	Y	10,000	f
butane	KRYLON BATTERY CLEANER	SHERWIN-WILLIAMS CO.	9/7/2008		3.00	N	10,000	f
butane	KRYLON 1501 INT/EXT GLOSSY WHITE	KRYLON (1)	9/5/1997		6.00	N	10,000	f
butane	KRYLON INT/EXT PAINT, BANNER RED 2108	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	10/14/2003		6.00	N	10,000	f
butane	KRYLON INT/EXT PAINT, GLOSSY BLACK 1601	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		6.00	N	10,000	f
butane	KRYLON INT/EXT TRUE BLUE 1910	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		6.00	N	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
butane	KRYLON INT/EXT ULTRA FLAT BLACK 1602	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		6.00	N	10,000	f
butane	KRYLON OSHA COLORS SAFETY GREEN 2012	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		6.00	N	10,000	f
butane	KRYLON OSHA COLORS SAFETY PURPLE 1929	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		6.00	N	10,000	f
butane	KRYLON OSHA COLORS SAFETY YELLOW 1813	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	12/2/2003		6.00	N	10,000	f
butane	SW IND. MAINT.&TOUCH UP, 1813 DAISY YLW	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	8/17/1998		6.00	N	10,000	f
butane	SW IND. MNT.&TOUCHUP SPRAY-2501 LEATHER	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	8/17/1998		6.00	N	10,000	f
butane	KRYLON 1601 GLOSSY BLACK	KRYLON (1)	3/1/1995		7.00	N	10,000	f
butane	KRYLON OSHA COLORS SAFETY POP ORNG 2410	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		7.00	N	10,000	f
butane	278 PLASTI-KOTE BATTERY TERM COATING	VALSPAR CORP.	12/11/2008	5.00	10.00	Y	10,000	f
butane	HEAVY DUTY GASKET REMOVER	PACER TECHNOLOGY	2/29/2008	1.00	10.00	Y	10,000	f
butane	PITTBULL SAFETY YELLOW INVERTED	CHASE PRODUCTS CO.(1)	3/18/2002	5.00	10.00	Y	10,000	f
butane	EL 601 RED INSULATING VARNISH	SPRAYON PRODUCTS(3)	11/29/2010		13.00	N	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
butane	SPRAYON RED INSULATING VARNISH	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	11/28/2010		13.00	N	10,000	f
butane	SW TOUGH COAT S00329 MACHINERY BLUE GRAY	SHERWIN-WILLIAMS/DIVERSIFIED	8/17/1998		13.00	N	10,000	f
butane	KRYLON 1701 IND. MAINT&TCH-UP BRIGHT GOLD	KRYLON (1)	1/5/1994		14.00	N	10,000	f
butane	KRYLON BATTERY PROTECTOR	SHERWIN-WILLIAMS CO.	4/9/2009		15.00	N	10,000	f
butane	PITTBULL ATHLETIC YELLOW FIELD MARKING	CHASE PRODUCTS CO.(1)	3/18/2002	5.00	15.00	Y	10,000	f
butane	STEEL INK BLUE (AEROSOL)	DOALL CO.	6/30/2009	10.00	15.00	Y	10,000	f
butane	KRYLON 1701 INT./EXT. BRIGHT GOLD	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		16.00	N	10,000	f
butane	VINYL & FABRIC, MEDIUM GRAY	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	11/28/2010		16.00	N	10,000	f
butane	CRC DRY GRAPHITE LUBE	CRC CHEMICALS/INDUSTRIES, INC.	11/4/2003	10.00	20.00	Y	10,000	f
butane	GASKET REMOVER AEROSOL	ITW PERFORMANCE POLYMERS VERSACHEM	3/17/2006		20.00	Y	10,000	f
butane	COPPER COAT	CRC CHEMICALS/INDUSTRIES, INC.	5/7/2007	15.00	25.00	Y	10,000	f
butane	K&W COPPER COAT AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	1/15/2009	15.00	25.00	Y	10,000	f

Basis Legend:

a: mandated for listing by Congress
f: flammable gas
g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
butane	LOCTITE FREEZE & RELEASE	HENKEL CANADA, INC.	12/20/2006	10.00	30.00	Y	10,000	f
butane	SEBREEZE CITRUS BREEZE FRAG. AERO 5139	RUBBERMAID COMMERCIAL PRODUCTS, INC.	2/11/1999	20.00	30.00	Y	10,000	f
butane	008-ZINC GALVANIZING (AEROSOL)	KCI, INC.	8/2/1992	0.00	100.00	Y	10,000	f
butane	2880 GENERAL SPRAY ADHESIVE	LMS 100	5/10/1999		100.00	Y	10,000	f
butane	ALL PURPOSE SPRAY ADHESIVE #2880	DIXIE PACKING & SEAL	6/23/2003	0.00	100.00	Y	10,000	f
butane	PENETRATING OIL	SUPERIOR GRAPHITE CO.	6/9/1994		100.00	Y	10,000	f
diethyl ether	THRUST QUICK STARTING FLUID	RADIATOR SPECIALTY COMPANY (1)	2/19/2009	35.00	50.00	Y	10,000	g
dimethyl ether	GREAT STUFF GAPS AND CRACKS	DOW CHEMICAL	2/16/2004	10.00	30.00	Y	10,000	f
dimethyl ether	NILOTRON AEROSOLS METERED	NILODOR, INC. (1)	1/21/2009		50.00	Y	10,000	f
ethane	LIQUEFIED PROPANE	GENIUM PUBLISHING CORP.	9/1/1984	0.00	4.00	Y	10,000	f
ethane	NATURAL GAS	WESTERN KENTUCKY GAS CO.	4/5/1999	0.00	4.00	Y	10,000	f
ethane	PROPANE	CONOCOPHILLIPS(1)	3/21/2006	0.00	6.00	Y	10,000	f
ethyl ether	PYROIL STARTING FLUID PART SFR-11	VALVOLINE, INC.	2/10/1995	10.00	20.00	Y	10,000	g
ethyl ether	SNAP STARTING FLUID	SOPUS PRODUCTS	6/20/2001	20.00	30.00	Y	10,000	g
ethyl mercaptan	ETHYL MERCAPTAN	CONOCOPHILLIPS(1)	3/29/2006	99.00	100.00	Y	10,000	g
hydrogen	ARGON, LIQUEFIED ARGON	AIRGAS (2)	2/21/2002	0.10	2.93	Y	10,000	f

Basis Legend:

a: mandated for listing by Congress
f: flammable gas
g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
hydrogen	HYDROGEN (25%-45%) IN ARGON	LIQUID CARBONIC	9/1/1992	25.00	45.00	Y	10,000	f
hydrogen sulfide	NON-FLAMMABLE GAS MIXTURE-50018	AIR LIQUIDE AMERICA CORP. (2)	8/31/2005	0.00	1.10	Y	10,000	f
isobutane	BAFCO GLASS CLEANER	BARRET-FISHER CO., INC.	5/3/2004	0.00	1.00	Y	10,000	f
isobutane	EASY-OFF FUME FREE MAX OVEN CLNR AERO	RECKITT BENCKISER INC.	5/18/2000	1.00	5.00	Y	10,000	f
isobutane	FILM BUSTER BASEBOARD STRIPPER	FRANKLIN CLEANING TECHNOLOGY	11/18/2002		5.00	N	10,000	f
isobutane	FIRST CLASS FURNITURE POLISH	FRANKLIN CLEANING TECHNOLOGY	11/24/1997		5.00	Y	10,000	f
isobutane	LOCTITE FREEZE & RELEASE	HENKEL CANADA, INC.	12/20/2006	1.00	5.00	Y	10,000	f
isobutane	WELDERS BLACK MAGIC	HYDRO PRODUCTS	5/12/2006		5.00	N	10,000	f
isobutane	CRC DRY GLIDE AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	3/17/2001	5.00	10.00	Y	10,000	f
isobutane	CRC ZINC-IT INSTANT COLD GALVANIZE	CRC CHEMICALS/INDUSTRIES, INC.	5/30/2007	5.00	10.00	Y	10,000	f
isobutane	EASY-OFF FUME FREE OVEN CLEANER	RECKITT & COLMAN, INC.	2/13/1993	1.00	10.00	Y	10,000	f
isobutane	PLASTI-KOTE BATTERY CLEANER	VALSPAR CORP.	10/26/2006	5.00	10.00	Y	10,000	f
isobutane	CARPET SCIENCE TRAFFIC LANE CARPET CLNR	S.C. JOHNSON COMMERCIAL MARKETS	6/18/1997	7.00	13.00	Y	10,000	f
isobutane	CHEVRON OPEN GEAR LUBRICANT SP	CHEVRON USA PRODUCTS CO.	5/7/1996		13.00	Y	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
isobutane	PPG QUICK DRY SPRAY ENML, 55-B (302,...)	PPG INDUSTRIES, INC.	5/15/1992	10.00	15.00	Y	10,000	f
isobutane	PURGE III INSECT KILLER	WATERBURY CO., INC.	6/7/1995	5.00	15.00	Y	10,000	f
isobutane	CUTTING OIL AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	2/26/2001	10.00	20.00	Y	10,000	f
isobutane	DI-ELECTRIC GREASE	CRC CHEMICALS/INDUSTRIES, INC.	5/27/2003	10.00	20.00	Y	10,000	f
isobutane	PLV 2040 AEROSPRAY	PELSEAL TECHNOLOGIES, LLC	3/27/1998		20.00	Y	10,000	f
isobutane	SP-400 AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	9/25/1997	10.00	20.00	Y	10,000	f
isobutane	AEROSOL RED SP-1196, SP1456	ITW FLUID PRODUCTS GROUP	5/2/1995	11.00	30.00	Y	10,000	f
isobutane	GOLDEN BELT DRESSING AEROSOL	ITW FLUID PRODUCTS GROUP (2)	10/26/1998	11.00	30.00	Y	10,000	f
isobutane	GREAT STUFF GAPS AND CRACKS	DOW CHEMICAL	2/16/2004	10.00	30.00	Y	10,000	f
isobutane	HEATHER AIR FRESHENER	FRANKLIN CLEANING TECHNOLOGY	11/24/1997		30.00	Y	10,000	f
isobutane	LOCQUIC PRIMER N 7649	HENKEL CORPORATION (1)	4/26/2006	10.00	30.00	Y	10,000	f
isobutane	NILOTRON FULL RELEASE	NILODOR, INC.	1/29/2009	15.00	30.00	Y	10,000	f
isobutane	OPAQUE RED STAINING COLOR 81090	ITW DYMON	2/13/2004	11.00	30.00	Y	10,000	f
isobutane	PRIMER N 7649 25GM, 21347	HENKEL CORPORATION (1)	1/3/2005	10.00	30.00	Y	10,000	f
isobutane	PRIMER N 7649 25GM, 21347	HENKEL LOCTITE CORPORATION	9/27/2004	10.00	30.00	Y	10,000	f

Basis Legend:

a: mandated for listing by Congress
f: flammable gas
g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
isobutane	RAID FLYING INSECT KILLER	S.C. JOHNSON & SON, INC.	1/16/2004	20.00	30.00	Y	10,000	f
isobutane	SPOTCHECK CLEANER/REMOVER SKC-S	MAGNAFLUX (2)	4/13/2007		30.00	N	10,000	f
isobutane	METERED AEROSOL DEODORANT-450,451,455,..	BIG D INDUSTRIES, INC.	7/11/1995		45.00	Y	10,000	f
isobutane	008-ZINC GALVANIZING (AEROSOL)	KCI, INC.	8/2/1992	0.00	100.00	Y	10,000	f
isobutane	AEROLEX PLUS AEROSOL	CHEMSEARCH, DIV. OF NCH CORP.	7/25/2008	0.00	100.00	Y	10,000	f
isobutane	BUTANE-LIQUIFIED PETROLEUM GAS	COOPER HAND TOOLS/TURNER	7/27/1994		100.00	N	10,000	f
isobutane	SUSTAIN II AEROSOL	X-ERGON, DIV. OF NCH CORP.	8/18/1997		100.00	Y	10,000	f
isobutane propellant(aerosol only)	SPOTCHECK PENETRANT SKL-SP1	MAGNAFLUX (2)	8/15/2003		30.00	N	10,000	f
methane	CALIBRATION CHECK GAS	GASCO AFFILIATES, LLC	1/1/2006	0.00	2.50	Y	10,000	f
methane	NON-FLAMMABLE GAS MIXTURE-50018	AIR LIQUIDE AMERICA CORP. (2)	8/31/2005	0.00	2.50	Y	10,000	f
methane	P-10 GAS MIXTURE	AIRCO, INC.	8/2/1989		10.00	N	10,000	f
methane	NATURAL GAS	WESTERN KENTUCKY GAS CO.	4/5/1999		93.00	N	10,000	f
methane	NATURAL GAS	MATHESON GAS PRODUCTS	11/16/1994	99.90	100.00	Y	10,000	f
methane, oxybis-	ACRA SEAL PLASTIC SPRAY & IGNITION	RADIATOR SPECIALTY COMPANY (1)	2/27/2008	30.00	60.00	Y	10,000	f
n-butane	BAFCO GLASS CLEANER	BARRET-FISHER CO., INC.	5/3/2004	1.00	3.00	Y	10,000	f
n-butane	GLASS CLEANER	SPRAYWAY, INC.	3/18/2008	3.00	5.00	Y	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
 P.O. Box 500
 Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
n-butane	PRO EASY-OFF HD OVEN-GRILL CLEANER(AERO)	RECKITT BENCKISER NORTH AMERICA, INC.	10/18/2005	4.00	6.00	Y	10,000	f
n-butane	AEROSOL TOUCH-UP PAINT GRAY	CUSTOM-PAK PRODUCTS, INC.	1/30/2004	8.00	10.00	Y	10,000	f
n-butane	STEEL BLUE LAYOUT FLUID	ITW DYKEM (1)	4/14/2004	5.00	15.00	Y	10,000	f
n-butane	STEEL RED LAYOUT FLUID	ITW DYKEM (1)	4/14/2004	5.00	15.00	Y	10,000	f
n-butane	MAJIC BRILLIANT SILVER AEROSOL SPRAY	YENKIN-MAJESTIC PAINT CORPORATION	4/29/2004		20.00	N	10,000	f
n-butane	MOLY LUBE	CRC CHEMICALS/INDUSTRIES, INC.	3/21/2002	14.00	24.00	Y	10,000	f
n-butane	PURGE III INSECT KILLER	WATERBURY CO., INC.	6/7/1995	15.00	25.00	Y	10,000	f
n-butane	METERED AEROSOL DEODORANT-450,451,455,..	BIG D INDUSTRIES, INC.	7/11/1995		45.00	Y	10,000	f
n-butane	AEROLEX PLUS AEROSOL	CHEMSEARCH, DIV. OF NCH CORP.	7/25/2008		100.00	Y	10,000	f
n-butane	SUSTAIN II AEROSOL	X-ERGON, DIV. OF NCH CORP.	8/18/1997		100.00	Y	10,000	f
norbutane	WELDERS BLACK MAGIC	HYDRO PRODUCTS	5/12/2006		5.00	N	10,000	f
propane	FIRST CLASS FURNITURE POLISH	FRANKLIN CLEANING TECHNOLOGY	11/24/1997		1.00	Y	10,000	f
propane	NATURAL GAS	WESTERN KENTUCKY GAS CO.	4/5/1999	0.00	1.00	Y	10,000	f
propane	KRYLON BATTERY CLEANER	SHERWIN-WILLIAMS CO.	9/7/2008		2.00	N	10,000	f
propane	SUVA HP80	DUPONT (1)	8/29/2001		2.00	N	10,000	f
propane	SUVA HP81	DUPONT (1)	4/6/2003		2.00	N	10,000	f
propane	BAFCO GLASS CLEANER	BARRET-FISHER CO., INC.	5/3/2004	1.00	3.00	Y	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
propane	RAID FLYING INSECT KILLER	S.C. JOHNSON & SON, INC.	1/16/2004	3.00	4.00	Y	10,000	f
propane	CARPET SCIENCE TRAFFIC LANE CARPET CLNR	S.C. JOHNSON COMMERCIAL MARKETS	6/18/1997	1.00	5.00	Y	10,000	f
propane	GLASS CLEANER	SPRAYWAY, INC.	3/18/2008	3.00	5.00	Y	10,000	f
propane	HEATHER AIR FRESHENER	FRANKLIN CLEANING TECHNOLOGY	11/24/1997		5.00	Y	10,000	f
propane	CRC ZINC-IT INSTANT COLD GALVANIZE	CRC CHEMICALS/INDUSTRIES, INC.	5/30/2007	3.00	7.00	Y	10,000	f
propane	NILOTRON FULL RELEASE	NILODOR, INC.	1/29/2009	3.00	7.00	Y	10,000	f
propane	COPPER COAT	CRC CHEMICALS/INDUSTRIES, INC.	5/7/2007		10.00	Y	10,000	f
propane	GASKET REMOVER AEROSOL	ITW PERFORMANCE POLYMERS VERSACHEM	3/17/2006	1.00	10.00	Y	10,000	f
propane	HEAVY DUTY GASKET REMOVER	PACER TECHNOLOGY	2/29/2008	1.00	10.00	Y	10,000	f
propane	MOLY LUBE	CRC CHEMICALS/INDUSTRIES, INC.	3/21/2002		10.00	Y	10,000	f
propane	SPRAYON E-100 QUICK LUBE	SPRAYON PRODUCTS (2)	5/11/1994		11.00	N	10,000	f
propane	CHEVRON OPEN GEAR LUBRICANT SP	CHEVRON USA PRODUCTS CO.	5/7/1996		13.00	Y	10,000	f
propane	KRYLON 1601 GLOSSY BLACK	KRYLON (1)	3/1/1995		13.00	N	10,000	f
propane	EL 601 RED INSULATING VARNISH	SPRAYON PRODUCTS(3)	11/29/2010		14.00	N	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
propane	KRYLON 1501 INT/EXT GLOSSY WHITE	KRYLON (1)	9/5/1997		14.00	N	10,000	f
propane	KRYLON 1701 IND. MAINT&TCH-UP BRIGHT GOLD	KRYLON (1)	1/5/1994		14.00	N	10,000	f
propane	KRYLON INT/EXT PAINT, BANNER RED 2108	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	10/14/2003		14.00	N	10,000	f
propane	KRYLON INT/EXT PAINT, GLOSSY BLACK 1601	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		14.00	N	10,000	f
propane	KRYLON INT/EXT TRUE BLUE 1910	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		14.00	N	10,000	f
propane	KRYLON INT/EXT ULTRA FLAT BLACK 1602	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		14.00	N	10,000	f
propane	KRYLON OSHA COLORS SAFETY GREEN 2012	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		14.00	N	10,000	f
propane	KRYLON OSHA COLORS SAFETY PURPLE 1929	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		14.00	N	10,000	f
propane	KRYLON OSHA COLORS SAFETY YELLOW 1813	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	12/2/2003		14.00	N	10,000	f
propane	SPRAYON RED INSULATING VARNISH	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	11/28/2010		14.00	N	10,000	f
propane	SW IND. MAINT.&TOUCH UP, 1813 DAISY YLW	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	8/17/1998		14.00	N	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
propane	SW IND. MNT.&TOUCHUP SPRAY-2501 LEATHER	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	8/17/1998		14.00	N	10,000	f
propane	SW TOUGH COAT S00329 MACHINERY BLUE GRAY	SHERWIN-WILLIAMS/DIVERSIFIED	8/17/1998		14.00	N	10,000	f
propane	K&W COPPER COAT AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	1/15/2009	5.00	15.00	Y	10,000	f
propane	KRYLON BATTERY PROTECTOR	SHERWIN-WILLIAMS CO.	4/9/2009		15.00	N	10,000	f
propane	KRYLON OSHA COLORS SAFETY POP ORNG 2410	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		15.00	N	10,000	f
propane	PPG QUICK DRY SPRAY ENML, 55-B (302,...)	PPG INDUSTRIES, INC.	5/15/1992	10.00	15.00	Y	10,000	f
propane	STEEL BLUE LAYOUT FLUID	ITW DYKEM (1)	4/14/2004	5.00	15.00	Y	10,000	f
propane	STEEL RED LAYOUT FLUID	ITW DYKEM (1)	4/14/2004	5.00	15.00	Y	10,000	f
propane	WELDERS BLACK MAGIC	HYDRO PRODUCTS	5/12/2006		15.00	N	10,000	f
propane	KRYLON 1701 INT./EXT. BRIGHT GOLD	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		16.00	N	10,000	f
propane	SW RED INSULATING VARNISH #00601	SPECIALTY DIV. OF KRYLON	3/1/1995		16.00	N	10,000	f
propane	VINYL & FABRIC, MEDIUM GRAY	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	11/28/2010		16.00	N	10,000	f
propane	KRYLON1602IND. MAINT&TCH-UP ULTRA FLT.	KRYLON (1)	1/5/1994		17.00	N	10,000	f

Basis Legend:

a: mandated for listing by Congress
f: flammable gas
g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
propane	KRYLON HIGH HEAT & RADIATOR PAINT,ALUM.	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	6/17/2003		18.00	N	10,000	f
propane	SW ENGINE PAINTS 1612 UNIVERSAL BLACK	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	8/17/1998		18.00	N	10,000	f
propane	STEEL INK BLUE (AEROSOL)	DOALL CO.	6/30/2009	14.00	19.00	Y	10,000	f
propane	278 PLASTI-KOTE BATTERY TERM COATING	VALSPAR CORP.	12/11/2008	15.00	20.00	Y	10,000	f
propane	CRC DRY GRAPHITE LUBE	CRC CHEMICALS/INDUSTRIES, INC.	11/4/2003	10.00	20.00	Y	10,000	f
propane	CUTTING OIL AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	2/26/2001	10.00	20.00	Y	10,000	f
propane	DI-ELECTRIC GREASE	CRC CHEMICALS/INDUSTRIES, INC.	5/27/2003	10.00	20.00	Y	10,000	f
propane	PITTBULL ATHLETIC YELLOW FIELD MARKING	CHASE PRODUCTS CO.(1)	3/18/2002	15.00	20.00	Y	10,000	f
propane	PITTBULL SAFETY YELLOW INVERTED	CHASE PRODUCTS CO.(1)	3/18/2002	15.00	20.00	Y	10,000	f
propane	PLV 2040 AEROSPRAY	PELSEAL TECHNOLOGIES, LLC	3/27/1998		20.00	Y	10,000	f
propane	SP-400 AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	9/25/1997		20.00	Y	10,000	f
propane	AEROSOL TOUCH-UP PAINT GRAY	CUSTOM-PAK PRODUCTS, INC.	1/30/2004	15.00	21.00	Y	10,000	f
propane	CRC DRY GLIDE AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	3/17/2001	15.00	25.00	Y	10,000	f

Basis Legend:

- a: mandated for listing by Congress
- f: flammable gas
- g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
propane	MAJIC BRILLIANT SILVER AEROSOL SPRAY	YENKIN-MAJESTIC PAINT CORPORATION	4/29/2004		25.00	N	10,000	f
propane	WAXIE TIME GREEN APPLE, 160891	WATERBURY CO., INC.	4/16/1996	15.00	25.00	Y	10,000	f
propane	AEROSOL RED SP-1196, SP1456	ITW FLUID PRODUCTS GROUP	5/2/1995	11.00	30.00	Y	10,000	f
propane	GOLDEN BELT DRESSING AEROSOL	ITW FLUID PRODUCTS GROUP (2)	10/26/1998	11.00	30.00	Y	10,000	f
propane	GREAT STUFF GAPS AND CRACKS	DOW CHEMICAL	2/16/2004	10.00	30.00	Y	10,000	f
propane	MAXI-COAT HEAVY DUTY RUSTPROOF 51211	LOCTITE CORPORATION	5/15/2007	10.00	30.00	Y	10,000	f
propane	OPAQUE RED STAINING COLOR 81090	ITW DYMON	2/13/2004	11.00	30.00	Y	10,000	f
propane	SEBREEZE CITRUS BREEZE FRAG. AERO 5139	RUBBERMAID COMMERCIAL PRODUCTS, INC.	2/11/1999	20.00	30.00	Y	10,000	f
propane	PURGE III INSECT KILLER	WATERBURY CO., INC.	6/7/1995	25.00	35.00	Y	10,000	f
propane	METERED AEROSOL DEODORANT-450,451,455,...	BIG D INDUSTRIES, INC.	7/11/1995		45.00	Y	10,000	f
propane	2880 GENERAL SPRAY ADHESIVE	LMS 100	5/10/1999		100.00	Y	10,000	f
propane	AEROLEX PLUS AEROSOL	CHEMSEARCH, DIV. OF NCH CORP.	7/25/2008	0.00	100.00	Y	10,000	f
propane	ALL PURPOSE SPRAY ADHESIVE #2880	DIXIE PACKING & SEAL	6/23/2003	0.00	100.00	Y	10,000	f
propane	LIQUEFIED PROPANE	GENIUM PUBLISHING CORP.	9/1/1984	65.00	100.00	Y	10,000	f

Basis Legend:

a: mandated for listing by Congress
f: flammable gas
g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.

Company: Century Aluminum Of Kentucky, LLC
P.O. Box 500
Hawesville KY 42348

Risk Management - Flammable Substances Candidates Listing

Component	Tradename	Manufacturer	MSDS Date	%Min	%Max	Rng	Threshold	Basis
propane	PENETRATING OIL	SUPERIOR GRAPHITE CO.	6/9/1994		100.00	Y	10,000	f
propane	PROPANE	BERNZOMATIC	11/10/2005		100.00	N	10,000	f
propane	PROPANE	CONOCOPHILLIPS(1)	3/21/2006	80.00	100.00	Y	10,000	f
propane	PROPANE	MATHESON GAS PRODUCTS	6/30/1994		100.00	N	10,000	f
propane	SUSTAIN II AEROSOL	X-ERGON, DIV. OF NCH CORP.	8/18/1997		100.00	Y	10,000	f
propane propellants	FREE ALL DEEP PENETRATING OIL AEROSOL	FEDERAL PROCESS COMPANY	2/1/2006	8.00	11.00	Y	10,000	f
propane/n-butane propellant blend-1	RUST CURB GRAY PRIMER	CHASE PRODUCTS CO.	1/1/1985	0.00	100.00	Y	10,000	f
propane/n-butane propellant blend-2	RUST CURB GRAY PRIMER	CHASE PRODUCTS CO.	1/1/1985	0.00	100.00	Y	10,000	f
propylene	PRESTONE DE-ICER FOR WIND AND WIPERS	PRESTONE PRODUCTS CORP. (1)	7/20/2005	5.00	9.00	Y	10,000	f
propylene	PROPANE	CONOCOPHILLIPS(1)	3/21/2006	0.00	20.00	Y	10,000	f
propylene	LIQUEFIED PROPANE	GENIUM PUBLISHING CORP.	9/1/1984	0.00	35.00	Y	10,000	f

Basis Legend:

a: mandated for listing by Congress
f: flammable gas
g: volatile flammable liquid

Note: If "Y" appears in the "Rng" (Range) column, the percentage of mix for this component is listed on the MSDS as a range. The minimum and maximum percentages are given, if known, but the calculations assume the maximum percentage. It may be necessary to recalculate the YTD quantity used after verifying the actual percentage with the manufacturer.