

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
008-ZINC GALVANIZING (AEROSOL)	KCI, INC.	MIXTURE	8/2/1992	toluene
008-ZINC GALVANIZING (AEROSOL)	KCI, INC.	MIXTURE	8/2/1992	xylene
14D THREAD SEALANT WITH PTFE	PERMATEX, INC.	SEALANT	8/11/2010	methanol
215-15 BLAZE ORANGE ALKYD PAINT	DAY-GLO COLOR CORP.	MIXTURE	2/4/2000	formaldehyde
248 MED STRENGTH THREADLOCKER STICK	HENKEL LOCTITE CORPORATION	MIXTURE	10/29/2004	ethylene glycol
278 PLASTI-KOTE BATTERY TERM COATING	VALSPAR CORP.	MIXURE	12/11/2008	ethylbenzene
278 PLASTI-KOTE BATTERY TERM COATING	VALSPAR CORP.	MIXURE	12/11/2008	toluene
278 PLASTI-KOTE BATTERY TERM COATING	VALSPAR CORP.	MIXURE	12/11/2008	xylene
2880 GENERAL SPRAY ADHESIVE	LMS 100	MIXTURE	5/10/1999	methylene chloride
29-05 (AIR DRY)	PROGRESS PLASTICS &	MIXTURE	8/4/1996	styrene monomer
3M NRS RUBBER ADHESIVE	3M	MIXTURE	8/27/1996	hexane
3M NRS RUBBER ADHESIVE	3M	MIXTURE	8/27/1996	methyl ethyl ketone
3M NRS RUBBER ADHESIVE	3M	MIXTURE	8/27/1996	toluene
3M SCOTCHKOTE BRAND ELECTRICAL COATING	3M	MIXTURE	10/28/2005	methyl ethyl ketone
3M SCOTCHKOTE BRAND ELECTRICAL COATING	3M	MIXTURE	10/28/2005	toluene
4461 SERIES, 12176, 12177, 12178	ESSEX GROUP, INC.	MIXTURE	7/7/1998	toluene
50ML GASKET MAKER HYSTER	LOCTITE CORP.	MIXTURE	1/4/1994	acrylic acid
530 CLEAR ADHESIVE THIN SPREAD	ALL PURPOSE ADHESIVE COMPANY	MIXTURE	11/15/2002	methanol
561 PIPE THREAD SLNT 19GR STK	HENKEL LOCTITE CORPORATION	ANAEROBIC SEALANT	4/7/2004	ethylene glycol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
567 THREAD SEALANT PST WITH PTFE 56747	HENKEL CORPORATION (1)	MIXTURE	1/25/2006	ethylene glycol
57200 HEAVY DUTY PURE SILICONE	KELLOGG'S PROFESSIONAL PRODUCTS INC.	SILICONE	4/24/2001	n-hexane
A-17 FABRIC TWISTED WOVEN ROVING	PYROTEK, INC.	MIXTURE	6/12/2002	1,4-dioxane
A-17 FABRIC TWISTED WOVEN ROVING	PYROTEK, INC.	MIXTURE	6/12/2002	acetaldehyde
A-17 FABRIC TWISTED WOVEN ROVING	PYROTEK, INC.	MIXTURE	6/12/2002	ethylene oxide
A-17 FABRIC TWISTED WOVEN ROVING	PYROTEK, INC.	MIXTURE	6/12/2002	formaldehyde
ACETONITRILE	FISHER SCIENTIFIC	ACETONITRILE	4/23/1998	acetonitrile
ACID ALERT TEST KIT (LARGE & SMALL)	ALCO CONTROLS DIV. EMERSON	MIXTURE	4/13/2000	methanol
ACID ALERT TEST KIT (LARGE & SMALL)	ALCO CONTROLS DIV. EMERSON ELECTRIC CO.	MIXTURE	4/13/2000	toluene
ACID TEST KIT	ALCO CONTROLS DIV. EMERSON ELECTRIC CO.	MIXTURE	11/20/1985	toluene
ACOUSTICAL BACKING BOARD, THERMACUBE...	OWENS-CORNING FIBERGLAS CORP.	FIBROUS GLASS	9/3/1997	formaldehyde
ACRA SEAL PLASTIC SPRAY & IGNITION	RADIATOR SPECIALTY	MIXTURE	2/27/2008	toluene
ACRI-SHIELD BONDING PRIMER-WHITE	PPG INDUSTRIES	PAINT	7/8/2010	ethylene glycol
ACRI-SHIELD GLOSS UD BASE PAINT	PPG INDUSTRIES	PAINT	1/21/2010	ethylene glycol
ACRYLIC ENAMEL REDUCER (COOL TEMP.)	PPG INDUSTRIES, INC.	SOLVENT BLEND	1/3/1996	toluene
ACRYLIC EXTERIOR PAINT 517, 518, 519,...	COURTAULDS COATINGS	MIXTURE	6/21/1993	ethylene glycol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
ADHESIVE 520	ARMSTRONG WORLD INDUSTRIES, INC. (1)	MIXTURE	5/22/1989	toluene
AEROSOL TOUCH-UP PAINT GRAY	CUSTOM-PAK PRODUCTS, INC.	PAINT	1/30/2004	ethylebenzene
AEROSOL TOUCH-UP PAINT GRAY	CUSTOM-PAK PRODUCTS, INC.	PAINT	1/30/2004	xylene
AIR BRAKE SYSTEM ANT- FREEZE RUST GUARD	RADIATOR SPECIALTY COMPANY (1)	MIXTURE	1/31/2006	methanol
ALL PURPOSE SPRAY ADHESIVE #2880	DIXIE PACKING & SEAL	MIXTURE	6/23/2003	methylene chloride
ARCTIC EXPRESS ANTIGEL 1:1500	POWER SERVICE PRODUCTS	HYDROCARBONS	4/18/2006	ethylbenzene
ARCTIC EXPRESS ANTIGEL 1:1500	POWER SERVICE PRODUCTS	HYDROCARBONS	4/18/2006	vinyl acetate
ARCTIC EXPRESS ANTIGEL 1:1500	POWER SERVICE PRODUCTS	HYDROCARBONS	4/18/2006	xylene
ARCTIC EXPRESS ANTIGEL 1:3000	POWER SERVICE PRODUCTS	HYDROCARBONS	3/3/2005	vinyl acetate
ARCTIC EXPRESS ANTIGEL 1:400	POWER SERVICE PRODUCTS	HYDROCARBONS	4/18/2006	ethylbenzene
ARCTIC EXPRESS ANTIGEL 1:400	POWER SERVICE PRODUCTS	HYDROCARBONS	4/18/2006	vinyl acetate
ARCTIC EXPRESS ANTIGEL 1:400	POWER SERVICE PRODUCTS	HYDROCARBONS	4/18/2006	xylene
ARMORSEAL HI-SLDS POLYURETHANE FLR ENML	SHERWIN- WILLIAMS CO.	PAINT	8/17/2010	ethylbenzene
ARMORSEAL REXTHANE I URETHANE CTNG CLR	SHERWIN- WILLIAMS CO.	PAINT	4/5/2010	ethylbenzene
AUTO TRUCK DE-ICER	RADIATOR SPECIALTY COMPANY (1)	MIXTURE	4/4/2003	ethylene glycol
AUTO TRUCK DE-ICER	RADIATOR SPECIALTY	MIXTURE	4/4/2003	methanol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
BAFCO DISINFECTANT SPRAY	BARRET-FISHER CO., INC.	MIXTURE	1/23/1995	methyl alcohol
BAKELITE PREFORMS/POWDERS/PELLETS	LECO CORP.	MIXTURE	4/17/2000	phenol
BATTERY TERMINAL 278	PLASTI-KOTE CO., INC.	PAINT	7/23/2001	toluene
BATTERY TERMINAL 278	PLASTI-KOTE CO., INC.	PAINT	7/23/2001	xylene
BATTERY TERMINAL PROTECTOR	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	4/27/2005	ethylbenzene
BATTERY TERMINAL PROTECTOR	CRC CHEMICALS/INDUS	MIXTURE	4/27/2005	n-hexane
BATTERY TERMINAL PROTECTOR	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	4/27/2005	xylene
BELZONA 1111 (SUPER METAL) SOLIDIFIER	BELZONA AMERICA, INC.	MODIFIED POLYAMINE	2/1/2007	phenol
BELZONA 1131 SOLIDIFIER	BELZONA AMERICA, INC.	MODIFIED POLYAMINE	4/11/2001	phenol
BELZONA 1221 (SUPER E-METAL) SOLIDIFIER	BELZONA AMERICA, INC.	POLYISOCYANATE	3/7/1998	hexamethylene-diisocyanate (hdi)
BELZONA 1311(CERAMIC R-METAL)SOLIDIFIER	BELZONA AMERICA, INC.	MODIFIED POLYAMINE	1/24/2001	phenol
BELZONA 2100 (D&A ELASTOMER) BASE	BELZONA AMERICA, INC.	MODIFIED POLYISOCYANATE	7/26/2006	diphenylmethane diisocyanate (mdi)
BELZONA 2131 ELASTOMER BASE	BELZONA AMERICA, INC.	MIXTURE	2/19/1992	diphenylmethane diisocyanate (mdi)
BELZONA 2211(MP HI-BUILD ELASTOMER)BASE	BELZONA AMERICA, INC.	MODIFIED POLYISOCYANATE	1/17/2005	di(2-ethylhexyl)-phthalate
BLANKIT INTERIOR LATEX PRIMER WHITE 1129	PORTER PAINT CO.	PAINT	3/14/2003	ethylene glycol
BLANKIT PRIMER 1127 DEEP BASE/1129 WHITE	COURTAULDS COATINGS	PAINT	12/21/1994	ethylene glycol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
BLEND 2266	CHEMICAL SOLVENTS, INC.	MIXTURE	2/14/1991	hexane
BLEND 2266	CHEMICAL SOLVENTS, INC.	MIXTURE	2/14/1991	toluene
BLEND 2266	CHEMICAL SOLVENTS, INC.	MIXTURE	2/14/1991	xylene
BLUE SHOWER II	TECH SPRAY, INC.	MIXTURE	4/29/1998	methanol
BRAKLEEN BRAKE PARTS CLEANER NON CHLR	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	1/8/2009	methanol
BRAKLEEN BRAKE PARTS CLEANER NON CHLR	CRC CHEMICALS/INDUS	MIXTURE	1/8/2009	toluene
BRAKLEEN BRAKE PARTS CLEANER NON CHLR	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	8/10/2009	methanol
BRAKLEEN BRAKE PARTS CLEANER NON CHLR	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	8/10/2009	toluene
BTN COVE BASE CONSTRUCTION ADHESIVE	DAP, INC.	MIXTURE	9/12/2007	ethylene glycol
BUFFER SOLUTION PH 4.0 (COLOR-CODED RED)	FISHER SCIENTIFIC	MIXTURE	9/2/1997	formaldehyde
BUFFER SOLUTION PH 4.0 (COLOR-CODED RED)	FISHER SCIENTIFIC	MIXTURE	9/2/1997	methyl alcohol
C FRESH HEALTH C DIS	CLAIRE MANUFACTURING CO.	MIXTURE	3/16/1999	methyl alcohol
CAL-BLUE PLUS GAS LEAK DETECTOR	NU-CALGON WHOLESALER,	MIXTURE	1/25/2007	ethylene glycol
CARBOLINE 188 FINISH PT A	CARBOLINE CO.	MIXTURE	9/11/1993	dibutyl phthalate
CARBOLINE 188 FINISH PT A	CARBOLINE CO.	MIXTURE	9/11/1993	methyl ethyl ketone
CARBOLINE 188 FINISH PT A	CARBOLINE CO.	MIXTURE	9/11/1993	mibk
CARBOLINE 188 FINISH PT A	CARBOLINE CO.	MIXTURE	9/11/1993	toluene
CARTRIDGE FOR POWER DEVICE	OLIN CORP.	MIXTURE	8/17/1993	dibutyl phthalate

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
CHEVRON DELO 400 MULTIGRADE	CHEVRON USA PRODUCTS CO.	MIXTURE	2/27/2007	hexane
CHEVRON HEATING FUEL NO. 1	EMMICK OIL INC.	MIXTURE	4/21/1990	naphthalene
CHEVRON OPEN GEAR LUBRICANT SP	CHEVRON USA PRODUCTS CO.	MIXTURE	5/7/1996	methylene chloride
CHEVRON PINION GREASE 250 CB	CHEVRON USA PRODUCTS CO.	MIXTURE	3/20/1992	1,1,1-trichloroethane
CHEVRON SUPREME ANTIFREEZE COOLANT	CHEVRON PRODUCTS	MIXTURE	1/12/2007	ethylene glycol
CHLOROACETIC ACID (A176500)	FISHER SCIENTIFIC	CHLOROACETIC ACID	3/4/1996	chloroacetic acid
CITRUSOL III	ONDEO NALCO COMPANY	MIXTURE	2/19/2003	diethanolamine
CLEAN-R-CARB CARBURETOR CLEANER 05081	CRC CHEMICALS/INDUS	MIXTURE	10/26/2009	methanol
CLEAN-R-CARB CARBURETOR CLEANER 05081	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	10/26/2009	toluene
CLEANING SOLVENT 755 (AEROSOL)	LOCTITE CORPORATION	MIXTURE	1/22/1996	1,1,1-trichloroethane
CLEAR CLEANER	J.C. WHITLAM MFG. CO.	METHYL ETHYL KETONE	11/1/2005	methyl ethyl ketone
CLEAR PRIMER	J.C. WHITLAM MFG. CO.	METHYL ETHYL KETONE	11/1/2005	methyl ethyl ketone
CLEAR PRIMER CLEANER	J.C. WHITLAM MFG. CO.	METHYL ETHYL KETONE	1/1/1999	methyl ethyl ketone
CLOR-D-TECT Q2000/4000CHLOR/HALGN	DEXSIL CORP.	MIXTURE	5/17/1995	naphthelene
CONCEPT 2020 CC, DCU2020	PPG INDUSTRIES, INC.	MIXTURE	9/11/1995	toluene
CONCEPT 2020 CC, DCU2020	PPG INDUSTRIES, INC.	MIXTURE	9/11/1995	xylene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
COPPER COAT	CRC CHEMICALS/INDUS	MIXTURE	5/7/2007	methyl ethyl ketone
COPPER COAT	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	5/7/2007	toluene
CORVE8301	INTERPLASTIC CORPORATION	UNSATURATED POLYESTER RESIN	5/8/1996	styrene
CRC DRY GLIDE AEROSOL	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	3/17/2001	n-hexane
CRC DRY GRAPHITE LUBE	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	11/4/2003	toluene
CRC TRANS-X AUTOMATIC TRANS SLIP-STOP	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	11/10/2008	ethylbenzene
CRC TRANS-X AUTOMATIC TRANS SLIP-STOP	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	11/10/2008	toluene
CRC TRANS-X AUTOMATIC TRANS SLIP-STOP	CRC CHEMICALS/INDUS	MIXTURE	11/10/2008	xylene
CRC ZINC-IT INSTANT COLD GALVANIZE	CRC CHEMICALS/INDUS TRIES, INC.	MIXTURE	5/30/2007	toluene
CREST ANTI-SPATTER ULTRA 200 NOZZLE SHLD	DYNAFLUX, INC.	MIXTURE	7/1/2006	dichloromethane
DAP ORIGINAL CONTACT CEMENT	DAP INC.	MIXTURE	8/11/1999	methyl ethyl ketone
DAP ORIGINAL CONTACT CEMENT	DAP INC.	MIXTURE	8/11/1999	toluene
DC12060 GUNTHER ULTRA BOND	GUNTHER MIRROR MASTIC	MIXTURE	3/3/2003	toluene
DERAKANE 411-45 VINYL ESTER RESIN	DOW CHEMICAL	MIXTURE	6/18/1991	styrene monomer

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
DERAKANE 470-300 EPOXY VINYL ESTER RESIN	DOW CHEMICAL	MIXTURE	3/18/1996	styrene monomer
DERAKANE 510C-350 EPOXY VINYL ESTER RES	DOW CHEMICAL	MIXTURE	3/7/2002	styrene monomer
DEVELOPER, SKD-NF/ZP-9B	MAGNAFLUX (1)	MIXTURE	2/29/1996	diethylene dioxide
DEVELOPER, SKD-NF/ZP-9B	MAGNAFLUX (1)	MIXTURE	2/29/1996	methyl chloroform
DIAMOND SPRAY	LECO CORP.	MIXTURE	12/1/1994	methyl alcohol
DIAMOND SPRAY	LECO CORP.	MIXTURE	7/13/2002	methyl alcohol
DICHLOROMETHANE	BDH HONEYWELL	METHYLENE CHLORIDE	1/9/2006	dichloromethane
DIESEL FUEL NO. 2	CHEVRON PRODUCTS COMPANY	MIXTURE	7/31/2006	naphthalene
DIESEL FUEL SUPPLEMENT+CETANE BOOST	POWER SERVICE PRODUCTS	HYDROCARBONS	7/24/2008	ethylbenzene
DIESEL FUEL SUPPLEMENT+CETANE BOOST	POWER SERVICE PRODUCTS	HYDROCARBONS	7/24/2008	vinyl acetate
DIESEL FUEL SUPPLEMENT+CETANE	POWER SERVICE PRODUCTS	HYDROCARBONS	7/24/2008	xylene
DIESEL FUEL THERAPY INJECTOR CLNER PLUS	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	10/5/2005	naphthalene
DIESEL GUARD LOW POUR PLUS 100	VALVTECT A DIVISION OF KOP-COAT, INC.	MIXTURE	9/27/2005	ethyl benzene
DIESEL GUARD LOW POUR PLUS 100	VALVTECT A DIVISION OF KOP-COAT, INC.	MIXTURE	9/27/2005	naphthalene
DIESEL GUARD LOW POUR PLUS 100	VALVTECT A DIVISION OF KOP-COAT, INC.	MIXTURE	9/27/2005	xylene
DION FR 9300-00	REICHHOLD CHEMICALS, INC.	VINYL ESTER RESIN	1/21/1997	styrene monomer

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
DIP SEAL(250,260,300B/G ,301,302,303,304)	DIP SEAL PLASTICS, INC.	MIXTURE	4/17/2002	dibutyl phthalate 99%
DRYLOK STUCCO PAINT-LIGHT TINT BASE, 109	UNITED GILSONITE LABORATORIES	PAINT	7/1/2001	ethylene glycol
DS82-9 DIP SEAL PLASTIC	DIP SEAL PLASTICS, INC.	MIXTURE	6/24/1999	dimetyhyl phtalate pa
DTM ACRYLIC GLOSS ENAMEL	BENJAMIN MOORE & CO.	PAINT	11/7/2000	ethylene glycol
DYNAMITE 760 VINYL WALLCOVERING ADHESIVE	GARDNER-GIBSON CORPORATION	MIXTURE	11/10/2006	ethylene glycol
EL 601 RED INSULATING VARNISH	SPRAYON PRODUCTS(3)	MIXTURE	11/29/2010	methyl ethyl ketone
EL 601 RED INSULATING VARNISH	SPRAYON PRODUCTS(3)	MIXTURE	11/29/2010	methyl isobutyl ketone
ELASTOSPRAY 8000A ISOCYANATE	BASF CORPORATION (1)	MIXTURE	3/17/2008	4,4' diphenylmethane diisocyanate
EPOXY CEMENT KIT	REMA TIPTOP/NA INC.	MIXTURE	2/3/1999	methylene chloride
EPOXY CEMENT KIT	REMA TIPTOP/NA INC.	MIXTURE	2/3/1999	trichloroethylene
ERIOCHROME BLACK T SOLUTION (SE32500)	FISHER SCIENTIFIC	MIXTURE	9/2/1997	methyl alcohol
ES COMPLEAT OAT 50/50 PREDILUTED ANTIFRZ	CUMMINS FILTRATION	MIXTURE	4/27/2010	ethylene glycol
ES OPTIMAX EG CONCENTRATE	CUMMINS FILTRATION	MIXTURE	4/23/2006	ethylene glycol
ES OPTIMAX EG PREMIX	CUMMINS FILTRATION	MIXTURE	4/23/2006	ethylene glycol
ETHANOL REAGENT ALCOHOL	HONEYWELL BURDICK &	MIXTURE	1/30/2006	methyl alcohol
ETHYL ALCOHOL, ANHYDROUS, DENATURED	EMD CHEMICALS INC.	ALCOHOL	3/3/2003	4-methyl-2-pentanone
ETHYL ALCOHOL, ANHYDROUS, DENATURED	EMD CHEMICALS INC.	ALCOHOL	3/3/2003	methanol
ETHYL ALCOHOL, DENATURED (A407500)	FISHER SCIENTIFIC	ETHYL ALCOHOL, DENATURED	5/17/1996	acetaldehyde

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
ETHYL ALCOHOL, DENATURED (A407500)	FISHER SCIENTIFIC	ETHYL ALCOHOL, DENATURED	5/17/1996	benzene
ETHYL ALCOHOL, DENATURED (A407500)	FISHER SCIENTIFIC	ETHYL ALCOHOL, DENATURED	5/17/1996	methyl alcohol
ETHYL ALCOHOL, DENATURED (A407500)	FISHER SCIENTIFIC	ETHYL ALCOHOL, DENATURED	5/17/1996	methyl isobutyl ketone
ETHYL ALCOHOL, DENATURED (A407500)	FISHER SCIENTIFIC	ETHYL ALCOHOL, DENATURED	5/17/1996	toluene
ETHYL ALCOHOL, DENATURED, 95%, SPECIAL	EM SCIENCE	MIXTURE	10/19/1995	methanol
EXPANDING FOAM SEALANT	GEOCEL CORP.	MIXTURE	1/7/2004	4,4 diphenylemethanediisocyanate mdi
FAST CURE EPOXY, 21425	HENKEL LOCTITE CORPORATION	EPOXY	10/21/2004	ethylene glycol
FAST CURE EPOXY, 21425	HENKEL LOCTITE CORPORATION	EPOXY	10/21/2004	styrene monomer
FORM A GASKET #1 SEALANT	PERMATEX, INC.	MIXTURE	6/9/2010	methanol
FREE ALL DEEP PENETRATING OIL AEROSOL	FEDERAL PROCESS COMPANY	MIXTURE	2/1/2006	hexone methyl isobutyl ketone
FUSILADE II TURF & ORNAMENTAL HERBICIDE	ZENECA PROFESSIONAL PRODUCTS	MIXTURE	3/1/1995	naphtha
GASKET ELIMINATOR 518 SEALANT	HENKEL CORPORATION (1)	MIXTURE	1/26/2006	acrylic acid
GASKET ELIMINATOR 518 SEALANT	HENKEL CORPORATION (1)	MIXTURE	1/26/2006	ethylene glycol
GASKET REMOVER AEROSOL	ITW PERFORMANCE POLYMERS VERSACHEM	MIXTURE	3/17/2006	methylene chloride
GLYPTEX ENAMEL 4124 BLACK	COURTAULDS COATINGS	MIXTURE	2/21/1991	xylene
GOLDEN BELT DRESSING AEROSOL	ITW FLUID PRODUCTS GROUP (2)	MIXTURE	10/26/1998	methylene chloride

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
GREAT STUFF	INSTA FOAM PRODUCTS CO.	MIXTURE	7/22/1994	4,4-diphenylmethanediisoc
GREAT STUFF GAPS AND CRACKS	DOW CHEMICAL	MIXTURE	2/16/2004	isocyanate
GREEN CREVICE PASTE - MEKP CURE	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	3/30/1999	styrene monomer
GREEN LAY-UP RESIN - MEKP CURE	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	1/31/1995	dimethylaniline
GREEN LAY-UP RESIN - MEKP CURE	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	1/31/1995	styrene monomer
GREEN LINER PRE-MIX - MEKP CURE	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	7/10/1995	dimethylaniline
GREEN LINER PRE-MIX - MEKP CURE	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	7/10/1995	styrene monomer
GREENVIEW PREEN THE WEED PREVENTER	LEBANON CHEMICAL CORP.	MIXTURE	4/21/1994	a,a,a-trifluoro-dinitro-dipropyl-toluidi
GTA103 THINNER (T-3)	COURTAULDS COATINGS	MIXTURE	11/10/1993	ethylbenzene
GTA103 THINNER (T-3)	COURTAULDS COATINGS	MIXTURE	11/10/1993	xylene
HAMMER-CAPSULE ADHESIVE ANCHOR CAPSULE	POWERS FASTENERS, INC.	MIXTURE	5/18/2010	styrene monomer
HAVOLINE DEX-COOL EXT LIFE ANTI-FREEZE	CHEVRON TEXACO GLOBAL LUBRICANTS	ETHYLENE GLYCOL	8/10/2004	ethylene glycol
HEAVY BODIED KLEAN-STRIP	KLEAN-STRIP, DIV. OF W.M. BARR CO.	MIXTURE	6/14/1989	methanol
HEAVY BODIED KLEAN-STRIP	KLEAN-STRIP, DIV. OF W.M. BARR CO.	MIXTURE	6/14/1989	methlene chloride
HEAVY DENSITY PIPE INSULATION	OWENS-CORNING FIBERGLAS CORP.	MIXTURE	2/11/2004	formaldehyde

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
HEAVY DUTY GASKET REMOVER	PACER TECHNOLOGY	MIXTURE	2/29/2008	ethylbenzene
HEAVY DUTY GASKET REMOVER	PACER TECHNOLOGY	MIXTURE	2/29/2008	methylene chloride
HEAVY DUTY GASKET REMOVER	PACER TECHNOLOGY	MIXTURE	2/29/2008	xylene
HEET GAS LINE ANTIFREEZE	GOLD EAGLE CO.	MIXTURE	8/5/2005	methanol
HETRON 197 P ACC CR	ASHLAND CHEMICALS, INC.	POLYESTER RESIN	1/5/1996	styrene
HETRON 922	ASHLAND CHEMICALS, INC.	MIXTURE	4/26/1996	styrene
HI-HIDE EGG SHELL LIGHT BASE	PORTER PAINT CO.	PAINT	8/17/1999	vinyl acetate
HI-HIDE INTERIOR LATEX DEEP BASE 108	PORTER PAINT CO.	PAINT	8/22/2002	ethylene glycol
HI-HIDE INTERIOR LATEX DEEP BASE 108	PORTER PAINT CO.	PAINT	8/22/2002	vinyl acetate
HI-HIDE SEMI GLOSS PAST 105	PORTER PAINT CO.	PAINT	7/8/2005	ethylene glycol
HI-HIDE SEMI GLOSS PAST 105	PORTER PAINT CO.	PAINT	7/8/2005	vinyl acetate
HI-HIDE SEMI-GLOSS LT BASE PAINT PP109	PPG INDUSTRIES	PAINT	2/26/2011	ethanediol
HI-HIDE WALL & TRIM PAINT PASTEL BASE	PORTER PAINT CO.	PAINT	4/9/1999	vinyl acetate
HI-POINT 90	WITCO - POLYMER ADDITIVES GROUP	MIXTURE	4/19/1996	dimethylphthalate
HI-POINT 90	WITCO - POLYMER ADDITIVES GROUP	MIXTURE	4/19/1996	methyl ethyl ketone
HI-TECH	BETCO CORP.	MIXTURE	2/23/1996	dibutyl phthalate
HIGH CORE	CHEMSEARCH, DIV. OF NCH CORP.	PETROLEUM HYDROCARBONS	5/21/1993	xylene
HIGH CORE	E.F. HOUGHTON & CO.	MIXTURE	5/21/1993	xylene
HIGH PERFORM EPOXY MASTIC ACTIVATOR 9101	RUST-OLEUM CORP.	MIXTURE	8/16/2006	xylool

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
INDUST. DTM URETHANE MASTIC ACTIVATOR	RUST-OLEUM CORP.	MIXTURE	1/26/2005	ethylbenzene
INDUST. DTM URETHANE MASTIC ACTIVATOR	RUST-OLEUM CORP.	MIXTURE	1/26/2005	xylene
INDUST. URETHANE ALKYD ENAM. UD BASE	SHERWIN-WILLIAMS CO.	MIXTURE	4/5/2010	ethylbenzene
INDUSTRIAL ENAMEL PURE WHITE	SHERWIN-WILLIAMS CO.	PAINT	1/7/2007	ethylbenzene
INDUSTRIAL ENAMEL PURE WHITE	SHERWIN-WILLIAMS CO.	PAINT	1/7/2007	xylene
INDUSTRIAL URETHANE ALKYD ENAM EXTRA WHT	SHERWIN-WILLIAMS CO.	MIXTURE	7/2/2010	ethylbenzene
INT/EXT RUST INHIBITIVE PRIMER WHT 7-852	PPG INDUSTRIES	PAINT	7/4/2010	ethylbenzene
INT/EXT RUST INHIBITIVE PRIMER WHT 7-852	PPG INDUSTRIES	PAINT	7/4/2010	xylene
INTERGARD 251 GRAY, 4901B	COURTAULDS COATINGS INC.(2)	MIXTURE	11/11/1996	ethylbenzene
INTERGARD 251 GRAY, 4901B	COURTAULDS COATINGS INC.(2)	MIXTURE	11/11/1996	xylene
INTERLAC 645 LIGHT BASE	COURTAULDS COATINGS INC.(2)	MIXTURE	11/11/1996	methanol
INTERNATIONAL THINNER GTA007	COURTAULDS COATINGS	XYLENE	9/22/1993	xylene
INTERNATIONAL THINNER GTA415	COURTAULDS COATINGS INC.(2)	MIXTURE	5/19/1997	xylene
INTERPRIME 198 GRAY, CPA098	COURTAULDS COATINGS INC.(2)	MIXTURE	8/27/1997	xylene
INTERTHANE BASE RECOATABLE YELLOW,	INTERNATIONAL COATINGS, LTD.	PAINT	7/29/1996	xylene
IPEX CLEANER	PARABOND PIPE CEMENT CO., INC. (1)	PVC/CPVC CLEANER AND ADHESIVE	6/1/2001	methyl ethyl ketone
IPEX CONDUIT CEMENT	SLUYTER COMPANY LTD.	CEMENT	6/30/2003	methyl ethyl ketone

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
IPEX REGULAR BODIED CLEAR PVC CEMENT	PARABOND PIPE CEMENT CO., INC.	MIXTURE	6/1/2001	methyl ethyl ketone
K&W COPPER COAT AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	1/15/2009	methyl ethyl ketone
K&W COPPER COAT AEROSOL	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	1/15/2009	toluene
KILFROST AIRTOOL LUBRICANT	TOTAL LUBRICANTS USA,	MIXTURE	8/12/2009	ethylene glycol
KRYLON 1501 INT/EXT GLOSSY WHITE	KRYLON (1)	PAINT	9/5/1997	ethylbenzene
KRYLON 1501 INT/EXT GLOSSY WHITE	KRYLON (1)	PAINT	9/5/1997	methyl ethyl ketone
KRYLON 1501 INT/EXT GLOSSY WHITE	KRYLON (1)	PAINT	9/5/1997	xylene
KRYLON 1601 GLOSSY BLACK	KRYLON (1)	PAINT	3/1/1995	ethylbenzene
KRYLON 1601 GLOSSY BLACK	KRYLON (1)	PAINT	3/1/1995	methyl ethyl ketone
KRYLON 1601 GLOSSY BLACK	KRYLON (1)	PAINT	3/1/1995	methyl isobutyl ketone
KRYLON 1601 GLOSSY BLACK	KRYLON (1)	PAINT	3/1/1995	xylene
KRYLON 1701 IND. MAINT&TCH-UP BRIGHT GOLD	KRYLON (1)	PAINT	1/5/1994	ethylbenzene
KRYLON 1701 IND. MAINT&TCH-UP BRIGHT GOLD	KRYLON (1)	PAINT	1/5/1994	toluene
KRYLON 1701 IND. MAINT&TCH-UP BRIGHT GOLD	KRYLON (1)	PAINT	1/5/1994	xylene
KRYLON 1701 INT./EXT. BRIGHT GOLD	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene
KRYLON 1701 INT./EXT. BRIGHT GOLD	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	toluene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
KRYLON BATTERY PROTECTOR	SHERWIN-WILLIAMS CO.	MIXTURE	4/9/2009	ethylbenzene
KRYLON BATTERY PROTECTOR	SHERWIN-WILLIAMS CO.	MIXTURE	4/9/2009	naphthalene
KRYLON BATTERY PROTECTOR	SHERWIN-WILLIAMS CO.	MIXTURE	4/9/2009	toluene
KRYLON H2O LATEX AEROSOL ARTIC WHITE	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	1/6/2007	ethylene glycol
KRYLON HIGH HEAT & RADIATOR PAINT,ALUM.	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene
KRYLON HIGH HEAT & RADIATOR PAINT,ALUM.	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	xylene
KRYLON INT/EXT PAINT, BANNER RED 2108	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	10/14/2003	ethylbenzene
KRYLON INT/EXT PAINT, BANNER RED 2108	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	10/14/2003	methyl ethyl ketone
KRYLON INT/EXT PAINT, BANNER RED 2108	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	10/14/2003	methyl isobutyl ketone
KRYLON INT/EXT PAINT, BANNER RED 2108	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	10/14/2003	xylene
KRYLON INT/EXT PAINT, GLOSSY BLACK 1601	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
KRYLON INT/EXT PAINT, GLOSSY BLACK 1601	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl ethyl ketone
KRYLON INT/EXT PAINT, GLOSSY BLACK 1601	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	xylene
KRYLON INT/EXT TRUE BLUE 1910	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene
KRYLON INT/EXT TRUE BLUE 1910	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl ethyl ketone
KRYLON INT/EXT TRUE BLUE 1910	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl isobutyl ketone
KRYLON INT/EXT TRUE BLUE 1910	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	xylene
KRYLON INT/EXT ULTRA FLAT BLACK 1602	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	toluene
KRYLON OSHA COLORS SAFETY GREEN 2012	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene
KRYLON OSHA COLORS SAFETY GREEN 2012	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl ethyl ketone

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
KRYLON OSHA COLORS SAFETY GREEN 2012	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl isobutyl ketone
KRYLON OSHA COLORS SAFETY GREEN 2012	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	xylene
KRYLON OSHA COLORS SAFETY POP ORNG 2410	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene
KRYLON OSHA COLORS SAFETY POP ORNG 2410	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl ethyl ketone
KRYLON OSHA COLORS SAFETY POP ORNG 2410	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	xylene
KRYLON OSHA COLORS SAFETY PURPLE 1929	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	ethylbenzene
KRYLON OSHA COLORS SAFETY PURPLE 1929	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	methyl ethyl ketone
KRYLON OSHA COLORS SAFETY PURPLE 1929	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	6/17/2003	xylene
KRYLON OSHA COLORS SAFETY YELLOW 1813	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	12/2/2003	ethylbenzene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
KRYLON OSHA COLORS SAFETY YELLOW 1813	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	12/2/2003	methyl ethyl ketone
KRYLON OSHA COLORS SAFETY YELLOW 1813	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	12/2/2003	methyl isobutyl ketone
KRYLON OSHA COLORS SAFETY YELLOW 1813	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	12/2/2003	xylene
KRYLON1602IND.MAINT&TCH-UP ULTRA FLT.BLK	KRYLON (1)	PAINT	1/5/1994	toluene
KRYLON1602IND.MAINT&TCH-UP ULTRA FLT.BLK	KRYLON (1)	PAINT	1/5/1994	xylene
KS-3 PAINT REMOVER	W.M. BARR & CO., INC.	PAINT REMOVER	6/14/1989	methanol
KS-3 PAINT REMOVER	W.M. BARR & CO., INC.	PAINT REMOVER	6/14/1989	methylene chloride
LAMINATING RESIN, P & A SERIES	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	6/22/1999	dimethylaniline
LAMINATING RESIN, P & A SERIES	REINFORCED PLASTIC SYSTEMS INC.	MIXTURE	6/22/1999	styrene monomer
LATEX SEMI-GLOSS ENML 105, 107, 108, 109	COURTAULDS COATINGS	PAINT	7/9/1993	ethylene glycol
LECTRA CLEAN HEAVY DUTY ELEC PARTS DGRSR	CRC CHEMICALS/INDUS	MIXTURE	12/31/2008	tetrachloroethylene
LESCO TEAM WITH FERTILIZER	LESCO	MIXTURE	2/15/1996	triflouralin, alpha, alpha, alpha
LIQUID WRENCH WHITE LITHIUM GRS W/ CERF	RADIATOR SPECIALTY COMPANY (1)	MIXTURE	6/3/2008	tetrachloroethylene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
LIQUID WRENCH WHITE LITHIUM GRS W/ CERF	RADIATOR SPECIALTY	MIXTURE	6/3/2008	xylene
LITE WEIGHT 3-LIGHTWEIGHT BODYFILLER	FIBRE GLASS- EVERCOAT CO., INC.	MIXTURE	9/1/1994	styrene
LOCTITE 565 PST PIPE SEAL THREAD SEALANT	HENKEL CANADA, INC.	MIXTURE	11/6/2006	ethylene glycol
LOCTITE 598 BLK HI PERFORM RTV GSKT MRKR	HENKEL LOCTITE CORPORATION	MIXTURE	4/15/2004	methanol
LOCTITE 603 RETAINING CMPD PRESS FIT	HENKEL CORPORATION (1)	ANAEROBIC ADHESIVE	2/3/2006	acrylic acid
LOCTITE QUICKSTIX 248 THREADLOCK MED	HENKEL CORPORATION (1)	MIXTURE	11/21/2007	ethylene glycol
LUPERSOL DDM-9	ELF ATOCHEM CANADA INC.	MIXTURE	1/24/1997	dimethyl phthalate
LUPERSOL DDM-9	ELF ATOCHEM CANADA INC.	MIXTURE	1/24/1997	methyl ethyl ketone
LUPERSOL DHD-9	ELF ATOCHEM NORTH AMERICA, INC.	MIXTURE	7/12/1995	dimethyl phthalate
LUPERSOL DHD-9	ELF ATOCHEM NORTH AMERICA, INC.	MIXTURE	7/12/1995	methyl ethyl ketone
LUPERSOL DHO-9	LUCIDOL PENNWALT CHEMICALS/EQUIP MENT	METHYL ETHYL KETONE PEROXIDE	8/26/1985	dimethyl phthalate
MACROPOXY 646 FAST CURE EPOXY PART A	SHERWIN- WILLIAMS CO.	MIXTURE	8/2/2009	ethylbenzene
MACROPOXY 646 FAST CURE EPOXY PART A	SHERWIN- WILLIAMS CO.	MIXTURE	8/2/2009	xylene
MACROPOXY 646 FAST CURE HRDNR PART B	SHERWIN- WILLIAMS CO.	MIXTURE	8/2/2009	ethylbenzene
MACROPOXY 646 FAST CURE HRDNR PART B	SHERWIN- WILLIAMS CO.	MIXTURE	8/2/2009	methyl isobutyl ketone

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
MACROPOXY 646 FAST CURE HRDNR PART B	SHERWIN-WILLIAMS CO.	MIXTURE	8/2/2009	xylene
MAJIC BRILLIANT SILVER AEROSOL SPRAY	YENKIN-MAJESTIC PAINT CORPORATION	AEROSOL	4/29/2004	toluene
MARATHON NO. 2 LOW SULFUR DIESEL FUEL	MARATHON OIL CO.	PETROLEUM HYDROCARBON	12/7/2010	naphthalene
MARATHON REGULAR UNLEADED GASOLINE	MARATHON PETROLEUM CO.	MIXTURE	12/7/2010	benzene
MARATHON REGULAR UNLEADED GASOLINE	MARATHON PETROLEUM CO.	MIXTURE	12/7/2010	ethyl benzene
MARATHON REGULAR UNLEADED GASOLINE	MARATHON PETROLEUM CO.	MIXTURE	12/7/2010	hexane
MARATHON REGULAR UNLEADED GASOLINE	MARATHON PETROLEUM CO.	MIXTURE	12/7/2010	naphthalene
MARATHON REGULAR UNLEADED GASOLINE	MARATHON PETROLEUM CO.	MIXTURE	12/7/2010	toluene
MARATHON REGULAR UNLEADED GASOLINE	MARATHON PETROLEUM CO.	MIXTURE	12/7/2010	xylene
MAXI-COAT HEAVY DUTY RUSTPROOF 51211	LOCTITE CORPORATION	MIXTURE	5/15/2007	n-hexane
MEAN GREEN	CHEMPRO, INC.	MIXTURE	10/6/2005	ethylene oxide
MEGASEAL NSP PAINT	PPG INDUSTRIES	EPOXY	4/18/2008	ethyl benzene
MEGASEAL NSP PAINT	PPG INDUSTRIES	EPOXY	4/18/2008	xylenes
METHANOL	EM SCIENCE	ALIPHATIC ALCOHOL	2/12/1998	methanol
METHYL ISOBUTYL KETONE	MALLINCKRODT CHEMICAL, INC.	METHYL ISOBUTYL KETONE	4/6/1989	methyl isobutyl ketone
METHYLENE CHLORIDE	HONEYWELL BURDICK & JACKSON	METHYLENE CHLORIDE	3/1/2007	methylene chloride
MID-WEST #14-1271A BLACK ADHESIVE	MID-WEST INDUSTRIAL CHEMICAL CO.	MIXTURE	1/12/2000	toluene
MINERAL SPIRITS	HUNT REFINING CO.	MINERAL SPIRITS	8/1/1996	xylene
MINRO-TEK PAK G/45G, TEK RAM GC,...	ALLIED MINERAL PRODUCTS, INC.	ALUMINUM OXIDE REFRACTORY	5/18/1996	ethylene glycol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
MIRRO-MASTIC	PALMER PRODUCTS CORP.	MIXTURE	8/9/1993	2-acetylaminofluorene
MOLY PURE SYNTHETIC COMP OIL ISO 32,#158	SCHAEFFER MFG. CO.	MIXTURE	9/28/1995	phenol
MOORE IRONCLAD Q/D IND. ENML 071, C/D071	BENJAMIN MOORE & CO.	PAINT	3/28/1994	ethyl benzene
MOORE IRONCLAD Q/D IND. ENML 071, C/D071	BENJAMIN MOORE & CO.	PAINT	3/28/1994	xylene
MOORE SAFETY & ZONE MARKING LATEX, M58	BENJAMIN MOORE & CO.	WATER THINNED PAINT	2/1/2000	ethylene glycol
MOORE SATIN IMPERVO SOLVENT THINNED, 235	BENJAMIN MOORE & CO.	PAINT	9/1/1990	ethyl benzene
MULTIPRIME LOW VOC MEDIUM	PPG INDUSTRIES	ALKYD	10/17/2005	ethyl benzene
MULTIPRIME LOW VOC MEDIUM	PPG INDUSTRIES	ALKYD	10/17/2005	xylene
NO. 36 REFRACTORY CEMENT	HARBISON-WALKER REFRACTORIES (1)	MIXTURE	11/11/1999	ethylene glycol
NOMACO ADHESIVE	NOMACO K-FLEX	MIXTURE	3/1/2007	hexane
NOMACO ADHESIVE	NOMACO K-FLEX	MIXTURE	3/1/2007	toluene
OATEY ALL PURPOSE CEMENT	OATEY CO.	MIXTURE	11/11/2008	methyl ethyl ketone
OATEY CLEAR CLEANER	OATEY CO.	MIXTURE	5/20/2005	methyl ethyl ketone
OATEY PURPLE PRIMER CLEANER NSF LISTED	OATEY CO.	MIXTURE	5/20/2005	methyl ethyl ketone
OATEY PVC RAIN R SHINE BLUE CEMENT	OATEY CO.	MIXTURE	5/20/2005	methyl ethyl ketone
OATEY PVC RAIN-R-SHINE BLUE CEMENT	OATEY CO.	MIXTURE	10/1/2009	methyl ethyl ketone
OATEY PVC REGULAR CLEAR CEMENT	OATEY CO.	MIXTURE	5/20/2005	methyl ethyl ketone
ODORLESS MINERAL SPIRITS	AMERICAN CHEMICAL TECHNOLOGIES, INC.(1)	MINERAL SPIRITS	4/7/2005	xylene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
OIL SATIN POLY	VALSPAR CORP. ARCHITECTURAL	PAINT	12/31/2008	ethylbenzene
OIL SATIN POLY	VALSPAR CORP. ARCHITECTURAL COATINGS DIV	PAINT	12/31/2008	xylene
ONETIME SPACKLING	RED DEVIL, INC.	MIXTURE	3/5/1996	ethylene glycol
OPAQUE RED STAINING COLOR 81090	ITW DYMON	MIXTURE	2/13/2004	toluene
P-6 PVC CEMENT	WILLIAM H. HARVEY CO.	MIXTURE	7/8/2002	methyl ethyl ketone
PARABOND P-8 CLEAR LOW VOC PIPE CEMENT	PARABOND	MIXTURE	2/1/2010	methyl ethyl ketone
PG ALKYD ZONE MARKING WHT PAINT PP1418	PPG/PORTER PAINTS	PAINT	9/12/2003	benzene
PG ALKYD ZONE MARKING WHT PAINT PP1418	PPG/PORTER PAINTS	PAINT	9/12/2003	toluene
PG ALKYD ZONE MARKING WHT PAINT PP1418	PPG/PORTER PAINTS	PAINT	9/12/2003	xylenes
PHENOLIC CANVAS SHEET	CURRENT, INC.	MIXTURE	7/21/1998	formaldehyde
PHENOLIC CANVAS SHEET	CURRENT, INC.	MIXTURE	7/21/1998	phenol
PITCH LIQUID	RUETGERS CANADA INC.	AROMATIC HYDROCARBONS	6/1/2009	dibenzofuran
PITCH LIQUID	RUETGERS CANADA INC.	AROMATIC HYDROCARBONS	6/1/2009	naphthalene
PITT-TECH INHIBITIVE ACRYLIC PRIMER	PPG INDUSTRIES	PAINT	10/15/2010	dibutyl phthalate
PLIOBOND 30	ASHLAND CHEMICAL CO.	MIXTURE	11/5/1996	formaldehyde
PLIOBOND 30	ASHLAND CHEMICAL CO.	MIXTURE	11/5/1996	methyl ethyl ketone
PLIOBOND 30	ASHLAND CHEMICAL CO.	MIXTURE	11/5/1996	phenol
PLV 2040 AEROSPRAY	PELSEAL TECHNOLOGIES, LLC	MIXTURE	3/27/1998	methyl ethyl ketone

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
PLV 2040 AEROSPRAY	PELSEAL TECHNOLOGIES,	MIXTURE	3/27/1998	methyl isobutyl ketone
POLYCHLORINATED BIPHENYLS (PCBS)	MONSANTO CO.	MIXTURE	7/1/1999	chlorinated biphenyl
PORTER EXTERIOR RED	HULS AMERICA INC.	MIXTURE	11/15/1995	ethylene glycol
PORTER GLAZE 4000 WHITE "B"	PORTER PAINT CO.	POLYAMIDE	10/13/1998	ethylbenzene
PORTER GLAZE 4000 WHITE "B"	PORTER PAINT CO.	POLYAMIDE	10/13/1998	methyl isobutyl ketone
PORTER GLAZE 4000 WHITE "B"	PORTER PAINT CO.	POLYAMIDE	10/13/1998	xylenes
PORTER GLAZE 4000 WHITE BASE, PC4015A	PORTER PAINT CO.	POLYAMIDE	10/13/1998	ethylbenzene
PORTER GLAZE 4000 WHITE BASE, PC4015A	PORTER PAINT CO.	POLYAMIDE	10/13/1998	xylenes
PORTER GLAZE 4300 CONVERTER, PC4346B	PORTER PAINT CO.	EPOXY	10/14/1998	ethylbenzene
PORTER GLAZE 4300 CONVERTER, PC4346B	PORTER PAINT CO.	EPOXY	10/14/1998	methyl isobutyl ketone
PORTER GLAZE 4300 CONVERTER, PC4346B	PORTER PAINT CO.	EPOXY	10/14/1998	xylenes
PORTER GLAZE 4300 GRAY, PC4301A	PORTER PAINT CO.	POLYAMIDE	1/18/1999	ethylbenzene
PORTER GLAZE 4300 GRAY, PC4301A	PORTER PAINT CO.	POLYAMIDE	1/18/1999	toluene
PORTER GLAZE 4300 GRAY, PC4301A	PORTER PAINT CO.	POLYAMIDE	1/18/1999	xylenes
PORTER GUARD ALKYD ZONE MARK PAINT YEL	PPG/PORTER PAINTS	PAINT	10/4/2006	methyl ethyl ketone
PORTER GUARD ALKYD ZONE MARK PAINT YEL	PPG/PORTER PAINTS	PAINT	10/4/2006	toluene
PORTER GUARD ALKYD ZONE MARK PAINT YEL	PPG/PORTER PAINTS	PAINT	10/4/2006	xylenes
PORTER GUARD FD ALKYD EN-LIGHT PP2749	PPG INDUSTRIES	PAINT	6/19/2010	xylene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
PORTER GUARD FD ENAMEL-B (PP2728)	PORTER PAINT CO.	PAINT	9/10/2004	xylenes
PORTER GUARD FD GLOSS EN-DEEP BS PP2750	PPG INDUSTRIES	MIXTURE	1/14/2010	xylene
PORTER GUARD HIGH HEAT AL PP1503 (0878)	PPG/PORTER PAINTS	PAINT	8/27/2004	xylenes
PORTER GUARD IND ALUMINUM 293	PPG/PORTER PAINTS	ALKYD	8/10/2004	xylenes
PORTER MASTIC 7000 CONVERTER	PORTER PAINT CO.	MIXTURE	10/13/1998	ethyl benzene
PORTER MASTIC 7000 CONVERTER	PORTER PAINT CO.	MIXTURE	10/13/1998	xylenes
PORTER MASTIC 7000 MEDIUM GRAY	PORTER PAINT CO.	MIXTURE	10/13/1998	ethyl benzene
PORTER MASTIC 7000 MEDIUM GRAY	PORTER PAINT CO.	MIXTURE	10/13/1998	xylenes
PORTER PHTHALO BLUE	HULS AMERICA INC.	MIXTURE	8/8/1996	ethylene glycol
PORTER THANE 9000 CONVERTER	PORTER PAINT CO.	MIXTURE	10/22/1998	hexamethylene-di-isocyanate
PORTER THANE 9000 WHITE BASE	PORTER PAINT CO.	MIXTURE	10/13/1998	ethyl benzene
PORTER TOPGUN SILICON. ACRYL.CAULK WHITE	PORTER PAINT CO.	MIXTURE	9/10/2001	ethylene glycol
PORTERGUARD FD ALKYD ENAMEL PAINT 2754	PORTER PAINT CO.	PAINT	1/2/2008	xylenes
PORTERGUARD FD ALKYD ENML PP2710	PORTER PAINT CO.	MIXTURE	9/10/2004	xylenes
PORTERMASTIC 7000 CONVERTER, PC7046B	PORTER PAINT CO.	EPOXY	5/22/2000	ethyl benzene
PORTERMASTIC 7000 RED OXIDE, PC7000A	PORTER PAINT CO.	POLYAMIDE	4/24/2000	ethyl benzene
PORTERMASTIC 7000 RED OXIDE, PC7000A	PORTER PAINT CO.	POLYAMIDE	4/24/2000	xylenes
PORTERTUF 2000, BLACK, PART A	PORTER PAINT CO.	PAINT	11/13/1996	dibenzofuran

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
PORTERTUF 2000, BLACK, PART A	PORTER PAINT CO.	PAINT	11/13/1996	naphthalene
PORTERTUF 2000, BLACK, PART A	PORTER PAINT CO.	PAINT	11/13/1996	xylene
PPG DELSTAR ACRYLIC ENAMEL DAR-1	PPG INDUSTRIES, INC.	MIXTURE	1/3/1996	methyl ethyl ketone
PPG DELSTAR ACRYLIC ENAMEL DAR-1	PPG INDUSTRIES, INC.	MIXTURE	1/3/1996	toluene
PPG DELSTAR ACRYLIC ENAMEL DAR-1	PPG INDUSTRIES, INC.	MIXTURE	1/3/1996	xylene
PPG DXR80 HARDENER	PPG INDUSTRIES, INC.	ISOCYANATES	5/5/1995	hexamethylene diisocyanate
PPG DXR80 HARDENER	PPG INDUSTRIES, INC.	ISOCYANATES	5/5/1995	toluene
PPG GRAY EPOXY ANTI SLIP	PPG INDUSTRIES	EPOXY	8/3/2004	xylenes
PPG QUICK DRY SPRAY ENML, 55-B (302,...)	PPG INDUSTRIES, INC.	PAINT	5/15/1992	methyl ethyl ketone
PPG QUICK DRY SPRAY ENML, 55-B (302,...)	PPG INDUSTRIES, INC.	PAINT	5/15/1992	xylene
PPG YELLOW EPOXY ANTI SLIP	PPG INDUSTRIES	EPOXY	8/3/2004	xylenes
PRESTONE DE-ICER FOR WIND AND WIPERS	PRESTONE PRODUCTS CORP. (1)	MIXTURE	7/20/2005	ethylene glycol
PRESTONE DE-ICER FOR WIND AND WIPERS	PRESTONE PRODUCTS CORP. (1)	MIXTURE	7/20/2005	methyl alcohol
PRESTONE DEXCOOL 50/50 EXTENDED LIFE AF	PRESTONE PRODUCTS CORP.	ETHYLENE GLYCOL	1/20/2011	ethylene glycol
PRESTONE EXTENDED LIFE 5/150 ANTIFREEZE	PRESTONE PRODUCTS CORP. (2)	ETHYLENE GLYCOL	8/19/2010	ethylene glycol
PRIMER 733	BASF BUILDING SYSTEMS, INC.	MIXTURE	6/29/2006	carbon tetrachloride
PRIMER 733	BASF BUILDING SYSTEMS, INC.	MIXTURE	6/29/2006	toluene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
PRIMER 733	BASF BUILDING SYSTEMS, INC.	MIXTURE	6/29/2006	xylene
PROTECTIVE COATING 67 X 944	RUBATEX CORPORATION	POLYVINYL ACETATE	6/7/1993	vinyl acetate monomer
PSI-803 WHITE - MS SLNT	POLYMERIC SYSTEMS, INC.	MIXTURE	1/14/2009	methanol
PST PIPE SLNT W/TFLN567THRED SLNT HITEMP	LOCTITE CORPORATION	MIXTURE	1/27/1999	epichlorohydrin
PURGE III INSECT KILLER	WATERBURY CO., INC.	INSECTICIDE	6/7/1995	1,1,1-trichloroethane
PURPLE PRIMER	J.C. WHITLAM MFG. CO.	MIXTURE	11/1/2005	methyl ethyl ketone
PVC CLEAR MEDIUM BODIED CEMENT	J.C. WHITLAM MFG. CO.	MIXTURE	1/1/2008	methyl ethyl ketone
PVC GRAY SCH. 80 HEAVY BODIED CEMENT	J.C. WHITLAM MFG. CO.	MIXTURE	6/24/2004	methyl ethyl ketone
PYROIL STARTING FLUID PART SFR-11	VALVOLINE, INC.	MIXTURE	2/10/1995	hexane
QD CONTACT CLEANER 2130	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	11/17/1994	methanol
QD CONTACT CLEANER 2130	CRC CHEMICALS/INDUS	MIXTURE	11/17/1994	n-hexane
QUICK CLEAN	CRC CHEMICALS/INDUSTRIES, INC.	MIXTURE	2/28/1997	tetrachloroethylene
QUICK SET 404 INSTANT ADHESIVE	LOCTITE CORPORATION	MIXTURE	1/26/1999	hydroquinone
RADIATOR STOP LEAK AND CONDITION C16/R6	BAR'S LEAKS, INC.	MIXTURE	5/6/2007	ethylene glycol
REAGENT ALCOHOL (20087)	FISHER SCIENTIFIC	ALCOHOL	6/19/1998	methyl alcohol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
RUBBER ADHESIVE	SCHRADER-BRIDGEPORT INTERNATIONAL, INC.	HALOGENATED SOLVENT	3/9/2003	1,2 butylene oxide
RUBBER ADHESIVE	SCHRADER-BRIDGEPORT INTERNATIONAL, INC.	HALOGENATED SOLVENT	3/9/2003	ethyl benzene
RUBBER ADHESIVE	SCHRADER-BRIDGEPORT INTERNATIONAL, INC.	HALOGENATED SOLVENT	3/9/2003	methylene chloride
RUBBER ADHESIVE	SCHRADER-BRIDGEPORT INTERNATIONAL, INC.	HALOGENATED SOLVENT	3/9/2003	toluene
RUBBER ADHESIVE	SCHRADER-BRIDGEPORT INTERNATIONAL, INC.	HALOGENATED SOLVENT	3/9/2003	trichloroethylene
RUBBER ADHESIVE	SCHRADER-BRIDGEPORT INTERNATIONAL, INC.	HALOGENATED SOLVENT	3/9/2003	xylene
RUNWAY	FRANKLIN CLEANING TECHNOLOGY	MIXTURE	8/7/1996	dibutyl phthalate
RUST CURB GRAY PRIMER	CHASE PRODUCTS CO.	PAINT	1/1/1985	toluene
RUST-OLEUM PRO OIL BASED ENMLS-TOPCOATS	RUST-OLEUM CORP.	PAINT	9/21/2004	ethyl alcohol
RUST-OLEUM PRO OIL BASED ENMLS-TOPCOATS	RUST-OLEUM CORP.	PAINT	9/21/2004	toluene
RUST-OLEUM PRO OIL BASED ENMLS-TOPCOATS	RUST-OLEUM CORP.	PAINT	9/21/2004	xylene
SC 2000 CEMENT	REMA TIPTOP/NA INC.	MIXTURE	2/3/1999	trichloroethylene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
SHER-KEM HI GL METAL FIN ENML EXTRA WHT	SHERWIN-WILLIAMS CO.	PAINT	5/8/2010	ethylbenzene
SHER-KEM HI GL METAL FIN ENML EXTRA WHT	SHERWIN-WILLIAMS CO.	PAINT	5/8/2010	toluene
SHER-KEM HI GL METAL FIN ENML EXTRA WHT	SHERWIN-WILLIAMS CO.	PAINT	5/8/2010	xylene
SIKAFIX HH HYDROPHILIC	SIKA CORP.	MIXTURE	12/18/2006	ethyl benzene
SIKAFIX HH HYDROPHILIC	SIKA CORP.	MIXTURE	12/18/2006	xylene, mixed isomers
SILICON MOLD RELEASE	LECO CORP.	MIXTURE	1/13/2000	methylene chloride
SILICON MOLD RELEASE	LECO CORP.	MIXTURE	7/13/2002	methylene chloride
SILKEN TOUCH INT LATEX PASTEL BASE, 1115	PORTER PAINT CO.	PAINT	2/22/2001	ethylene glycol
SLIP PLATE #3	SUPERIOR GRAPHITE COMPANY	MIXTURE	12/10/2004	toluene
SOLVENT SPOT REMOVER 861	CLAIRE MANUFACTURING	MIXTURE	1/18/1994	perchloroethylene
SOLVENT SPOT REMOVER 861	CLAIRE MANUFACTURING CO.	MIXTURE	1/18/1994	trichlorethylene
SONNEBORN 200 ADHESIVE	BASF BUILDING SYSTEMS, INC.	MIXTURE	6/29/2006	n-hexane
SOUTHLAND FLOORING ADHESIVE 330	SOUTHLAND FLOORING SUPPLIES	MIXTURE	8/12/1992	methanol
SP-400 AEROSOL	CRC CHEMICALS/INDUS	MIXTURE	9/25/1997	n-hexane
SPECTRAKOOL 7601 B	AMERICAN CHEMICAL TECHNOLOGIES, INC.	MIXTURE	9/2/1998	diethanolamine
SPRAYON ENVIRONMENTAL CLEANER DGRSR	SHERWIN-WILLIAMS CO.	MIXTURE	3/22/2008	ethylbenzene
SPRAYON ENVIRONMENTAL CLEANER DGRSR	SHERWIN-WILLIAMS CO.	MIXTURE	3/22/2008	hexane

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
SPRAYON ENVIRONMENTAL CLEANER DGRSR	SHERWIN-WILLIAMS CO.	MIXTURE	3/22/2008	toluene
SPRAYON ENVIRONMENTAL CLEANER DGRSR	SHERWIN-WILLIAMS CO.	MIXTURE	3/22/2008	xylene
SPRAYON RED INSULATING VARNISH	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	MIXTURE	11/28/2010	ethylbenzene
SPRAYON RED INSULATING VARNISH	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	MIXTURE	11/28/2010	toluene
SPRAYON RED INSULATING VARNISH	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	MIXTURE	11/28/2010	xylene
ST-22 SILICONE FLUIDS	GEMINI TECHNOLOGIES, INC	MIXTURE	1/1/2000	di(2-ethylhexyl)phthalate
ST-22 SILICONE FLUIDS	GEMINI TECHNOLOGIES,	MIXTURE	1/1/2000	methyl ethyl ketone
ST-22 SILICONE FLUIDS	GEMINI TECHNOLOGIES, INC	MIXTURE	1/1/2000	toluene
STAY-CLEAN PASTE FLUX	J.W. HARRIS CO., INC.	FLUX	4/1/1996	ethylene glycol
STEEL INK BLUE (AEROSOL)	DOALL CO.	MIXTURE	6/30/2009	toluene
STRUCTURAL ADHESIVE 332/SEVERE ENV.	LOCTITE CORPORATION	MIXTURE	1/27/1999	acrylic acid
SUPER MET-AL MARKER NUCLEAR GRD WHT	SKM INDUSTRIES INC.	MIXTURE	2/19/2007	ethyl benzene
SUPER MET-AL MARKER NUCLEAR GRD WHT	SKM INDUSTRIES INC.	MIXTURE	2/19/2007	xylene
SUPER RAM CP-45	VESUVIUS CANADA REFRACTORIES INC.	MIXTURE	12/9/2008	2,4 dinitrotoluene
SUPER WEED KILLER CONCENTRATE	ABC COMPOUNDING	MIXTURE	11/6/2003	cumene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
SUPER WEED KILLER CONCENTRATE	ABC COMPOUNDING	MIXTURE	11/6/2003	xylene
SUPER YELLOW WEATHERSTRIP ADHESIVE	ITW PERFORMANCE POLYMERS VERSACHEM	ADHESIVE	6/12/2006	toluene
SUPERFLOC-205	QUALITY CHEMICAL COMPANY, INC.	MIXTURE	9/5/1997	acrylamide
SUPEROX 709	DOW CHEMICAL	MIXTURE	3/3/1994	dimethyl phthalate
SUPEROX 709	DOW CHEMICAL	MIXTURE	3/3/1994	methyl ethyl ketone
SW DTM ACRL GLS COAT. (WATERBORNE)B66T104	SHERWIN- WILLIAMS CO.	PAINT	10/13/1999	ethylene glycol
SW ENGINE PAINTS 1612 UNIVERSAL BLACK	SHERWIN- WILLIAMS/DIVERSI FIED BRANDS, INC	PAINT	8/17/1998	hexane
SW EVRCLN INT LTX SATIN FIN.A97W41 P.WHT	SHERWIN- WILLIAMS CO.	PAINT	7/9/1999	ethylene glycol
SW EVRCLN INT LTX SATIN FIN.A97W41 P.WHT	SHERWIN- WILLIAMS CO.	PAINT	10/5/1999	ethylene glycol
SW IND. MAINT.&TOUCH UP, 1813 DAISY YLW	SHERWIN- WILLIAMS/DIVERSI FIED BRANDS, INC	PAINT	8/17/1998	ethylbenzene
SW IND. MAINT.&TOUCH UP, 1813 DAISY YLW	SHERWIN- WILLIAMS/DIVERSI FIED BRANDS, INC	PAINT	8/17/1998	methyl ethyl ketone
SW IND. MAINT.&TOUCH UP, 1813 DAISY YLW	SHERWIN- WILLIAMS/DIVERSI FIED BRANDS, INC	PAINT	8/17/1998	methyl isobutyl ketone
SW IND. MAINT.&TOUCH UP, 1813 DAISY YLW	SHERWIN- WILLIAMS/DIVERSI FIED BRANDS, INC	PAINT	8/17/1998	xylene
SW IND. MNT.&TOUCHUP SPRAY-2501 LEATHER	SHERWIN- WILLIAMS/DIVERSI	PAINT	8/17/1998	ethylbenzene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
SW IND. MNT.&TOUCHUP SPRAY-2501 LEATHER	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	PAINT	8/17/1998	methyl ethyl ketone
SW IND. MNT.&TOUCHUP SPRAY-2501 LEATHER	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	PAINT	8/17/1998	methyl isobutyl ketone
SW IND. MNT.&TOUCHUP SPRAY-2501 LEATHER	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	PAINT	8/17/1998	xylene
SW POLYURETHANE FLOOR ENAMEL,A-33 SERIES	SHERWIN-WILLIAMS CO.	PAINT	7/26/2001	ethylbenzene
SW RED INSULATING VARNISH #00601	SPECIALTY DIV. OF KRYLON	PAINT	3/1/1995	ethylbenzene
SW RED INSULATING VARNISH #00601	SPECIALTY DIV. OF KRYLON	PAINT	3/1/1995	toluene
SW RED INSULATING VARNISH #00601	SPECIALTY DIV. OF KRYLON	PAINT	3/1/1995	xylene
SW REDUCER 54, R7K54	SHERWIN-WILLIAMS CO.	MIXTURE	9/1/1997	ethyl benzene
SW REDUCER 54, R7K54	SHERWIN-WILLIAMS CO.	MIXTURE	9/1/1997	methyl isobutyl ketone
SW REDUCER 54, R7K54	SHERWIN-WILLIAMS CO.	MIXTURE	9/1/1997	xylene
SW REDUCER 58, R7K58	SHERWIN-WILLIAMS CO.	MIXTURE	9/1/1997	ethylbenzene
SW REDUCER 58, R7K58	SHERWIN-WILLIAMS CO.	MIXTURE	9/1/1997	xylene
SW SILVER-BRITE B59S11 ALUMINUM PAINT	SHERWIN-WILLIAMS CO.	PAINT	3/25/1998	toluene
SW TOUGH COAT S00329 MACHINERY BLUE GRAY	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	PAINT	8/17/1998	ethylbenzene
SW TOUGH COAT S00329 MACHINERY BLUE GRAY	SHERWIN-WILLIAMS/DIVERSIFIED BRANDS, INC	PAINT	8/17/1998	xylene
SWIMMING POOL PAINT - BLACK	PORTER PAINT CO.	PAINT	1/25/1999	ethylbenzene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
SWIMMING POOL PAINT - BLACK	PORTER PAINT CO.	PAINT	1/25/1999	xylene
SWIMMING POOL PAINT - WHITE	PORTER PAINT CO.	PAINT	2/24/1999	ethylbenzene
SWIMMING POOL PAINT - WHITE	PORTER PAINT CO.	PAINT	2/24/1999	xylene
T-1 EPOXY THINNER CLEAR, PC5100	PORTER PAINT CO.	MIXTURE	11/6/2001	ethyl benzene
T-1 EPOXY THINNER CLEAR, PC5100	PORTER PAINT CO.	MIXTURE	11/6/2001	toluene
T-1 EPOXY THINNER CLEAR, PC5100	PORTER PAINT CO.	MIXTURE	11/6/2001	xylenes
TARSET R THINNER, T-13	PORTER PAINT CO.	MIXTURE	12/1/1988	xylene
TECH CHEMICAL VULCANIZING FLUID	TECH INTERNATIONAL	MIXTURE	7/31/2002	benzene
TECH CHEMICAL VULCANIZING FLUID	TECH INTERNATIONAL	MIXTURE	7/31/2002	n-hexane
TECH CHEMICAL VULCANIZING FLUID	TECH INTERNATIONAL	MIXTURE	7/31/2002	toluene
TECH RUB-O-MATIC	TECH INTERNATIONAL	MIXTURE	4/26/2002	toluene
THERMAL ARC TORCH COOLANT	THERMAL DYNAMICS CORP.	ETHYLENE GLYCOL	11/14/2000	ethylene glycol
THINNER 5143	COURTAULDS COATINGS	PETROLEUM HYDROCARBON	11/2/1993	xylene
THINNER EPOXY PAINT 97-725	PPG INDUSTRIES	MIXTURE	4/26/2005	ethyl benzene
THINNER EPOXY PAINT 97-725	PPG INDUSTRIES	MIXTURE	4/26/2005	toluene
THINNER EPOXY PAINT 97-725	PPG INDUSTRIES	MIXTURE	4/26/2005	xylene
THREAD SEALANT WITH PTFE #30534	HENKEL CORPORATION (1)	MIXTURE	11/12/2004	ethylene glycol
THURMALOX GRAY	DAMPNEY CO INC.	MIXTURE	5/16/2002	xylene
TM-4 PAINT REMOVER, 004	OLD MASTERS	MIXTURE	5/14/2004	methanol
TM-4 PAINT REMOVER, 004	OLD MASTERS	MIXTURE	5/14/2004	methyl ethyl ketone
TM-4 PAINT REMOVER, 004	OLD MASTERS	MIXTURE	5/14/2004	methylene chloride
TM-4 PAINT REMOVER, 004	OLD MASTERS	MIXTURE	5/14/2004	toluene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
TOLUENE	EM SCIENCE	TOLUENE	12/3/1999	toluene
TOLUENE (S80229-T3304)	FISHER SCIENTIFIC	METHYL BENZENE	4/28/1998	methyl benzene
TOPCOAT FLASHING GRADE	TOPCOAT, INC.	MIXTURE	1/4/1999	ethylene glycol
TOPCOAT MEMBRANE 1060-1	GAF MATERIALS CORPORATION	MIXTURE	6/1/2003	ethylene glycol
TRAFFIC PAINT 409 YELLOW	COURTAULDS COATINGS	PAINT	1/22/1993	xylene
TRAFFIC PAINT 412 YELLOW	COURTAULDS COATINGS	MIXTURE	4/27/1995	ethylbenzene
TRAFFIC PAINT 412 YELLOW	COURTAULDS COATINGS	MIXTURE	4/27/1995	xylene
TREMFLEX 027-067-996	TREMCO (1)	PAINT	6/1/1989	ethyl benzene
TREMFLEX 027-067-996	TREMCO (1)	PAINT	6/1/1989	xylene
U-PRIME, UNIVERSAL PRIMER 282,284,285	PORTER PAINT CO.	PRIMER	1/24/1989	carbon tetrachloride
U-PRIME, UNIVERSAL PRIMER 282,284,285	PORTER PAINT CO.	PRIMER	1/24/1989	xylene
UCARTHERM HEAT TRANSFER FLUID PM-6141	UNION CARBIDE	ETHYLENE GLYCOL	11/6/1992	ethylene glycol
ULTRA COOL 7000	CHEMSEARCH, DIV. OF NCH CORP.	MIXTURE	8/14/1997	diethanolamine
ULTRABOND 1	ADHESIVES TECHNOLOGY CORP.	MIXTURE	5/19/2008	ethylene glycol
UNDER INSULATION COATING 1027 UIC BLACK	HI-TEMP COATING TECHNOLOGY	MIXTURE	7/1/2003	ethylbenzene
UNDER INSULATION COATING 1027 UIC BLACK	HI-TEMP COATING TECHNOLOGY	MIXTURE	7/1/2003	naphthalene
UNDER INSULATION COATING 1027 UIC BLACK	HI-TEMP COATING TECHNOLOGY	MIXTURE	7/1/2003	toluene
UNDER INSULATION COATING 1027 UIC BLACK	HI-TEMP COATING TECHNOLOGY	MIXTURE	7/1/2003	xylene
UNI-PAINT MARKERS (PX-20,-21,-30)	SANFORD CORP.	MARKER	1/2/2003	xylene

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
UNI-PAINT PX-21 & PX-20 MARKER ALLCOLORS	SANFORD NA	MIXTURE	2/1/2007	xylene
UNI-PAINT PX-30 BROAD MARKER	SANFORD NA	MIXTURE	2/1/2007	xylene
UNIVERSAL CEMENT	PLEWS SCHRADER DIVISION	MIXTURE	3/20/2006	ethylbenzenes
UNIVERSAL CEMENT	PLEWS SCHRADER	MIXTURE	3/20/2006	methylene chloride
UNIVERSAL CEMENT	PLEWS SCHRADER DIVISION	MIXTURE	3/20/2006	mixed xylenes
UNIVERSAL CEMENT	PLEWS SCHRADER DIVISION	MIXTURE	3/20/2006	trichloroethylene
URETHANE ALKYD GLOSS ENAMEL M22	BENJAMIN MOORE & CO.	PAINT	11/12/1992	xylene
URETHANE ALKYD GLOSS ENAMEL M22, NM22	BENJAMIN MOORE & CO.	PAINT	7/19/2001	xylene
URETHANE FISHEYE PREVENTER	PPG INDUSTRIES, INC.	MIXTURE	12/12/1995	ethyl benzene
URETHANE FISHEYE PREVENTER	PPG INDUSTRIES, INC.	MIXTURE	12/12/1995	xylenes
UT-R20 HARDENER	REMA TIPTOP/NA INC.	MIXTURE	2/3/1999	methylene chloride
VALSPAR 7 20055 A TRD EXT LX SG BASE 4	VALSPAR CORP. ARCHITECTURAL	MIXTURE	7/6/2004	ethylene glycol
VALSPAR 7 206267 A TRD SG RED BASE	VALSPAR CORP. ARCHITECTURAL COATINGS DIV	MIXTURE	9/29/2003	ethylene glycol
VALSPAR 7 206272 A TRD SG YLO BASE	VALSPAR CORP. ARCHITECTURAL COATINGS DIV	MIXTURE	6/7/2005	ethylene glycol

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville

KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
VALVE ACTION PAINT MARKER	LA-CO INDUSTRIES, INC.	MIXTURE	11/1/2005	ethylbenzene
VALVE ACTION PAINT MARKER	LA-CO INDUSTRIES, INC. (2)	MIXTURE	11/1/2005	xylene
VINYL & FABRIC, MEDIUM GRAY	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	11/28/2010	ethylbenzene
VINYL & FABRIC, MEDIUM GRAY	SHERWIN-WILLIAMS/KRYLON PRODUCTS GROUP	PAINT	11/28/2010	toluene
VINYL SUEDE FLAT INT LTX 933-935,937,951	COURTAULDS COATINGS	PAINT	4/1/1996	ethylene glycol
WATER SOLUBLE SUPER IND CLNR/DEGRSR	SUN ENERGY PRODUCTS INC.	MIXTURE	1/31/2008	methanol
WELD KLEEN HEAVY DUTY	WELD-AID PRODUCTS	MIXTURE	1/1/2003	methylene chloride
WELD-ON 702, 704, 705, 707, 710,...	IPS CORP.	MIXTURE	5/1/2002	methyl ethyl ketone
WELD-ON P-68 PRIMER FOR PVC/CPVC PIPE	IPS CORP.	MIXTURE	4/1/1994	methyl ethyl ketone
WELDERS BLACK MAGIC	HYDRO PRODUCTS	MIXTURE	5/12/2006	toluene
WELDFAST CL-200 PART "A"	SMITH FIBERCAST	MIXTURE	1/21/2003	styrene monomer
WIRE DRYER	RADIATOR SPECIALTY COMPANY (1)	MIXTURE	3/6/2008	xylene
WOOD GUARDIAN CL AMERICAN PP302	PORTER PAINT CO.	PAINT	8/10/2004	xylenes
WOOD GUARDIAN INT POLY CLEAR (PP316)	PPG INDUSTRIES, INC.	PAINT	5/21/2004	xylenes
WOOD GUARDIAN POLYURETHANE CLEAR, PP316	PORTER PAINT CO.	PAINT	8/10/2004	xylenes

Company: Century Aluminum Of Kentucky, LLC

Address: P.O. Box 500

Hawesville KY 42348

VOC Candidates Listing

Complete Facility Report

The following chemicals present in your facility contain components identified as volatile organic compounds. This listing should be reviewed to determine which chemicals should be tracked for consumption and reporting requirements.

A complete list of VOC chemicals that you want to track for VOC consumption and reporting, as well as the percentage of the chemical that is a VOC, must be mailed or faxed to MSDS1 as soon as possible. The fax number for MSDS1 is (770) 456-5665.

Tradename	Manufacturer	Chemical Name	MSDS Date	VOC Component
XD BASE 1027/WHITE 1029	COURTAULDS COATINGS	MIXTURE	5/9/1995	ethylene glycol
XTREME BLUE -20 WWF	CAMCO MFG., INC.	MIXTURE	6/13/2005	methanol
XYLENE THINNER 5133	PORTER PAINT CO.	MIXTURE	6/12/1998	ethylbenzene
XYLENE THINNER 5133	PORTER PAINT CO.	MIXTURE	6/12/1998	mixed xylenes
XYLENES (X3520)	FISHER SCIENTIFIC	XYLENES	5/28/1996	xylenes mixed isomers w/ethyl benzene
ZAR PAINT & VARNISH REMOVER, 275	UNITED GILSONITE LABORATORIES	MIXTURE	7/1/2001	methyl alcohol
ZAR PAINT & VARNISH REMOVER, 275	UNITED GILSONITE LABORATORIES	MIXTURE	7/1/2001	methylene chloride 50
ZAR PAINT & VARNISH REMOVER, 275	UNITED GILSONITE LABORATORIES	MIXTURE	7/1/2001	toluene
ZERO CHARGE ANTI STAT	TECH SPRAY, INC.	MIXTURE	7/6/1992	methanol
ZETAG 7878	CIBA SPECIALTY CHEMICALS CORP. USA	MIXTURE	10/24/2001	acrylamide